Product of birth—timing of fetal death, code N

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY4.0 (CC BY4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Product of birth—timing of fetal death, code N

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Fetal death timing
METEOR identifier:	716363
Registration status:	Health, Standard 17/12/2021
Definition:	The period of time in which a <u>fetal death</u> occurred in relation to labour, as represented by a code.
Data Element Concept:	Product of birth—timing of fetal death
Value Domain:	Timing of fetal death code N

Value domain attributes

Representational attributes

Representation class:	Code	
Data type:	Number	
Format:	Ν	
Maximum character length:	1	
	Value	Meaning
Permissible values:	1	Intrapartum
	2	Antepartum
	3	Unknown
Supplementary values:	9	Not stated/inadequately described

Collection and usage attributes

Guide for use:	CODE 1 Intrapartum
	Use this code when the fetal death is known to have occurred during labour or the birth.
	CODE 2 Antepartum
	Use this code when the fetal death is known to have occurred prior to the onset of labour.
	CODE 3 Unknown
	Use this code when it is unknown or not possible to determine whether the fetal death occurred intrapartum or antepartum.
	CODE 9 Not stated/inadequately described
	Use this code when the timing of the fetal death is not stated or inadequately described. It is not intended for use on primary collection instruments.

Data element attributes

Source and reference attributes

Submitting organisation:

Australian Institute of Health and Welfare

Relational attributes

Specifications:

Implementation in Data Set Perinatal Mortality NBEDS 2022-23 Health, Superseded 07/02/2023 Implementation start date: 01/07/2022 Implementation end date: 30/06/2023 Conditional obligation:

> This data element is only to be recorded if the response to the Product of birthperinatal death type, code N data element is Code 1 (Stillbirth).

DSS specific information:

In the case of multiple births, this data element should be recorded for each stillbirth.

Perinatal Mortality NBEDS 2023-24 Health, Standard 07/02/2023 Implementation start date: 01/07/2023 Implementation end date: 30/06/2024 Conditional obligation:

This data element is only to be recorded if the response to the Product of birthperinatal death type, code N data element is CODE 1 (Stillbirth).

DSS specific information:

In the case of multiple births, this data element should be recorded for each stillbirth.

Perinatal Mortality NBEDS 2024–25 Health, Qualified 12/09/2023 Implementation start date: 01/07/2024 Implementation end date: 30/06/2025 Conditional obligation:

This data element is only to be recorded if the response to the Product of birthperinatal death type, code N data element is CODE 1 (Stillbirth).

DSS specific information:

In the case of multiple births, this data element should be recorded for each stillbirth.