

National Healthcare Agreement: PI 15—Effective management of diabetes, 2020

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

National Healthcare Agreement: PI 15—Effective management of diabetes, 2020

Identifying and definitional attributes

Metadata item type:	Indicator
Indicator type:	Progress measure
Short name:	PI 15—Effective management of diabetes, 2020
METEOR identifier:	716465
Registration status:	Health , Standard 13/03/2020
Description:	Proportion of people with known diabetes who have an HbA1c (glycated haemoglobin) level less than or equal to 7.0%
Indicator set:	National Healthcare Agreement (2020) Health , Standard 13/03/2020
Outcome area:	Primary and Community Health Health , Standard 07/07/2010

Collection and usage attributes

Computation description: The National Health Measures Survey component of the 2011–12 Australian Health Survey (ABS cat. no. [4364.0.55.005](#)) included a fasting plasma glucose test and an HbA1c test. For this indicator, the fasting plasma glucose test is used in the determination of people with known diabetes and the HbA1c test is used in the determination of effective management of diabetes. Persons with known diabetes who have an HbA1c result of less than or equal to 7.0% are considered to be managing their diabetes effectively.

Known diabetes is defined as persons self-reporting that they had ever been told by a doctor or nurse that they have diabetes and:

- they were taking diabetes medication (either insulin or tablets); or
- their blood test result for fasting plasma glucose was greater than or equal to 7.0 mmol/L.

Excludes persons who did not fast for 8 hours or more prior to their blood test.

Reported for persons aged between 18 and 69.

Excludes women with gestational diabetes.

Analysis by remoteness and Socio-Economic Indexes for Areas (SEIFA) Index of Relative Socio-Economic Disadvantage (IRSD) is based on usual residence of the person (subject to data availability).

Presented as a percentage.

95% confidence intervals and relative standard errors calculated for rates.

Computation: $100 \times (\text{Numerator} \div \text{Denominator})$

Numerator: Number of persons aged between 18 and 69 with *known diabetes*, as determined by a fasting plasma glucose test, who have an HbA1c level of less than or equal to 7.0%.

Numerator data elements: **Data Element / Data Set**

Person with known diabetes as determined by a fasting plasma glucose test

Data Source

[ABS Australian Health Survey \(AHS\), 2011–13 \(2011–12 National Health Measures Survey component\)](#)

Guide for use

Data source type: Survey

Data Element / Data Set

Person—age

Data Source

[ABS Australian Health Survey \(AHS\), 2011–13 \(2011–12 National Health Measures Survey component\)](#)

Guide for use

Data source type: Survey

Data Element / Data Set

Person—HbA1c level

Data Source

[ABS Australian Health Survey \(AHS\), 2011–13 \(2011–12 National Health Measures Survey component\)](#)

Guide for use

Data source type: Survey

Data Element / Data Set

Person with known diabetes as determined by a fasting plasma glucose test

Data Source

[ABS Australian Aboriginal and Torres Strait Islander Health Survey \(AATSIHS\), 2012–13 \(National Aboriginal and Torres Strait Islander Health Measures Survey component\)](#)

Guide for use

Data source type: Survey

Data Element / Data Set

Person—age

Data Source

[ABS Australian Aboriginal and Torres Strait Islander Health Survey \(AATSIHS\), 2012–13 \(National Aboriginal and Torres Strait Islander Health Measures Survey component\)](#)

Guide for use

Data source type: Survey

Data Element / Data Set

Person—HbA1c level

Data Source

[ABS Australian Aboriginal and Torres Strait Islander Health Survey \(AATSIHS\), 2012–13 \(National Aboriginal and Torres Strait Islander Health Measures Survey component\)](#)

Guide for use

Data source type: Survey

Denominator:

Number of persons aged between 18 and 69 with *known diabetes*, as determined by a fasting plasma glucose test.

Denominator data elements:

Data Element / Data Set

Person with known diabetes as determined by a fasting plasma glucose test

Data Source

[ABS Australian Health Survey \(AHS\), 2011–13 \(2011–12 National Health Measures Survey component\)](#)

Guide for use

Data source type: Survey

Data Element / Data Set

Person—age

Data Source

[ABS Australian Health Survey \(AHS\), 2011–13 \(2011–12 National Health Measures Survey component\)](#)

Guide for use

Data source type: Survey

Data Element / Data Set

Person with known diabetes as determined by a fasting plasma glucose test

Data Source

[ABS Australian Aboriginal and Torres Strait Islander Health Survey \(AATSIHS\), 2012–13 \(National Aboriginal and Torres Strait Islander Health Measures Survey component\)](#)

Guide for use

Data source type: Survey

Data Element / Data Set

Person—age

Data Source

[ABS Australian Aboriginal and Torres Strait Islander Health Survey \(AATSIHS\), 2012–13 \(National Aboriginal and Torres Strait Islander Health Measures Survey component\)](#)

Guide for use

Data source type: Survey

Disaggregation:

State and territory, by:

- sex
- Indigenous status.

Nationally, by:

- remoteness (Australian Statistical Geography Standard (ASGS) Remoteness Structure)
- 2011 SEIFA IRSD
- age (18–44, 45–54, 55–64, 65–69).

Some disaggregation may result in numbers too small for publication.

Disaggregation data elements:**Data Element / Data Set**

Person—age

Data Source

[ABS Australian Health Survey \(AHS\), 2011–13 \(2011–12 National Health Measures Survey component\)](#)

Guide for use

Data source type: Survey

Data Element / Data Set

Person—Indigenous status

Data Source

[ABS Australian Health Survey \(AHS\), 2011–13 \(2011–12 National Health Measures Survey component\)](#)

Guide for use

Data source type: Survey

Data Element / Data Set

[Person—sex, code N](#)

Data Source

[ABS Australian Health Survey \(AHS\), 2011–13 \(2011–12 National Health Measures Survey component\)](#)

Guide for use

Data source type: Survey

Data Element / Data Set

[Person—area of usual residence, statistical area level 2 \(SA2\) code \(ASGS 2011\) N\(9\)](#)

Data Source

[ABS Australian Health Survey \(AHS\), 2011–13 \(2011–12 National Health Measures Survey component\)](#)

Guide for use

Data source type: Survey

Used for disaggregation by state/territory, remoteness and SEIFA

Data Element / Data Set

[Person—area of usual residence, statistical area level 2 \(SA2\) code \(ASGS 2011\) N\(9\)](#)

Data Source

[ABS Australian Aboriginal and Torres Strait Islander Health Survey \(AATSIHS\), 2012–13 \(National Aboriginal and Torres Strait Islander Health Measures Survey component\)](#)

Guide for use

Data source type: Survey

Used for disaggregation by state/territory

Comments:

Most recent data available for 2020 National Healthcare Agreement performance reporting: 2011–12 (total population, non-Indigenous: AHS); 2012–13 (Indigenous only: AATSIHS).

NO NEW DATA FOR 2020 REPORTING.

Representational attributes

Representation class: Percentage

Data type: Real

Unit of measure: Person

Format: N[NN].N

Indicator conceptual framework

Framework and dimensions: [Effectiveness](#)

Data source attributes

Data sources:**Data Source**

[ABS Australian Health Survey \(AHS\), 2011–13 \(2011–12 National Health Measures Survey component\)](#)

Data custodian

Australian Bureau of Statistics

Data Source

[ABS Australian Aboriginal and Torres Strait Islander Health Survey \(AATSIHS\), 2012–13 \(National Aboriginal and Torres Strait Islander Health Measures Survey component\)](#)

Data custodian

Australian Bureau of Statistics

Accountability attributes

Reporting requirements: National Healthcare Agreement

Organisation responsible for providing data: Australian Bureau of Statistics

Further data development / collection required: Specification: Final, the measure meets the intention of the indicator.

Relational attributes

Related metadata references:

Supersedes [National Healthcare Agreement: PI 15–Effective management of diabetes, 2019](#)
[Health](#), Superseded 13/03/2020

Has been superseded by [National Healthcare Agreement: PI 15–Effective management of diabetes, 2021](#)
[Health](#), Standard 03/07/2020

See also [National Healthcare Agreement: PB c–Better health: reduce the age-adjusted prevalence rate for Type 2 diabetes to 2000 levels \(equivalent to a national prevalence rate \(for 25 years and over\) of 7.1 per cent\) by 2023, 2020](#)
[Health](#), Standard 13/03/2020

See also [National Healthcare Agreement: PI 10–Prevalence of Type 2 diabetes, 2020](#)
[Health](#), Standard 13/03/2020