

Available bed—residential mental health care, average number of beds N[NNN.N]

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Available bed—residential mental health care, average number of beds N[NNN.N]

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Average available beds for residential mental health patients
METEOR identifier:	717123
Registration status:	Health , Standard 16/01/2020
Definition:	The number of beds available in the specialised residential mental health services , averaged over the counting period .

Data element concept attributes

Identifying and definitional attributes

Data element concept:	Available bed—residential mental health care
METEOR identifier:	373647
Registration status:	Health , Standard 03/12/2008
Definition:	The number of beds available to provide specialised residential mental health care .
Object class:	Available bed
Property:	Residential mental health care

Value domain attributes

Identifying and definitional attributes

Value domain:	Average number of beds N[NNN.N]
METEOR identifier:	373120
Registration status:	Health , Standard 03/12/2008
Definition:	A numeric value representing an arithmetic mean of beds.

Representational attributes

Representation class:	Average
Data type:	Number
Format:	N[NNN.N]
Maximum character length:	5
Unit of measure:	Bed

Collection and usage attributes

Guide for use:	Average available beds, rounded to the nearest decimal or whole number.
----------------	---

Data element attributes

Collection and usage attributes

Guide for use: Residential mental health beds are available only if they are suitably located and equipped to provide residential mental health care and the necessary financial and human resources can be provided. Average available residential mental health beds are the average bed counts conducted during the year as required.

Inclusions: Both occupied and unoccupied residential mental health beds are included.

Collection methods: Specialised residential mental health care services should establish clear recording and reporting practices and criteria that ensure that each available residential mental health bed is counted and that no available residential mental health bed is counted more than once.

The assessment of availability must reflect the ability of the specialised residential mental health care service to provide the necessary resources, and this can be significantly impacted by events such as a strike, clinical staff shortage, fire or renovation. This is illustrated by the following examples.

Example 1: A specialised residential mental health care service containing 20 residential mental health beds (A) is closed for several months, either for a planned renovation or in response to an unplanned event such as a fire. During this period a temporary 10 specialised residential mental health bed facility (B) is established and the necessary resources are provided. The specialised residential mental health care service would not report the residential mental health beds in facility A, but it would report the 10 residential mental health beds in facility B.

Example 2: A 20 bed specialised residential mental health service is closed during the first week of February because of a strike, but for the remaining three weeks of February it is fully staffed so that all 20 residential mental health beds can be occupied during those three weeks. The average number of residential mental health beds available for this service in February is 15.

Comments: This data element is necessary to provide an indicator of the capacity of the residential service.

Relational attributes

Related metadata references: Supersedes [Available bed—residential mental health care, average number of beds N\[NNN.N\]](#)
[Health](#), Superseded 16/01/2020

Implementation in Data Set Specifications: [Mental health establishments NMDS 2020–21](#)
[Health](#), Superseded 20/01/2021

Implementation start date: 01/07/2020
Implementation end date: 30/06/2021

[Mental health establishments NMDS 2021–22](#)
[Health](#), Superseded 17/12/2021

Implementation start date: 01/07/2021
Implementation end date: 30/06/2022

[Mental health establishments NMDS 2022–23](#)
[Health](#), Superseded 09/12/2022

Implementation start date: 01/07/2022
Implementation end date: 30/06/2023

[Mental health establishments NMDS 2023–24](#)
[Health](#), Superseded 06/12/2023

Implementation start date: 01/07/2023
Implementation end date: 30/06/2024

[Mental health establishments NMDS 2024–25](#)
[Health](#), Standard 06/12/2023

Implementation start date: 01/07/2024
Implementation end date: 30/06/2025