National Core Maternity Indicators: PI 07-Noninstrumental vaginal birth for selected females giving



© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

National Core Maternity Indicators: PI 07–Noninstrumental vaginal birth for selected females giving birth for the first time, 2019

Identifying and definitional attributes

Metadata item type: Indicator Indicator type: Indicator

Common name: Non-instrumental vaginal birth for selected females giving birth for the first time

Short name: PI 07–Non-instrumental vaginal birth for selected females giving birth for the first

time, 2019

METEOR identifier: 717540

Registration status: Health, Superseded 16/09/2020

Description: The proportion of selected females giving birth for the first time who gave birth by

non-instrumental vaginal birth.

Rationale: This indicator is used to benchmark practice.

Indicator set: National Core Maternity Indicators, 2019

Health, Superseded 16/09/2020

Collection and usage attributes

Population group age

from:

20 years

Population group age to: 34 years

Computation description: The number of selected females giving birth for the first time who gave birth by non-

instrumental vaginal birth, divided by all selected females, and multiplied by 100.

Selected females criteria: Females included are those who gave birth for the first time and met all of the following criteria:

• aged between 20 and 34

• gestational age at birth between 37 and 41 completed weeks

pregnancy has one baby only (singleton)

• the presentation of the baby is vertex (baby's head was at the cervix).

Excluded are those females who have given birth prior to the current birth or who did not meet the selection criteria.

A birth is defined as an event in which a baby comes out of the uterus after a pregnancy of at least 20 weeks gestational age or weighing 400 grams or more.

A non-instrumental vaginal birth is one in which the baby is born through the vagina

without the assistance of instruments (vacuum or forceps).

Computation: 100 × (Numerator ÷ Denominator)

Numerator: The number of selected females giving birth for the first time who gave birth by non-

instrumental vaginal birth.

Numerator data elements: - Data Element / Data Set

Person—date of birth, DDMMYYYY

Data Source

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set

Birth event—birth method, code N

Data Source

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set

Product of conception—gestational age, completed weeks N[N]

Data Source

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set-

Birth event—birth presentation, code N

Data Source

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set-

Birth event—birth plurality, code N

Data Source

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set-

Female—parity, total pregnancies N[N]

Data Source

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

Denominator:

All selected females.

Denominator data elements:

-Data Element / Data Set-

Person—date of birth, DDMMYYYY

Data Source

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set-

Product of conception—gestational age, completed weeks N[N]

Data Source

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set-

Birth event—birth presentation, code N

Data Source

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set-

Birth event—birth plurality, code N

Data Source

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set

Female—parity, total pregnancies N[N]

Data Source

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

Disaggregation:

- Year of birth
- · State or territory of birth
- Hospital annual number of births
- Indigenous status of mother
- Hospital sector
- Remoteness category (from mother's area of usual residence)
- Primary health network (from mother's area of usual residence)
- Statistical local area 3 (from mother's area of usual residence)

Disaggregation data elements:

Data Element / Data Set-

Data Element

Hospital annual number of births

Data Source

AlHW National Perinatal Data Collection (NPDC)

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set-

Data Element

Hospital sector

Data Source

AlHW National Perinatal Data Collection (NPDC)

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set-

Birth event—state/territory of birth, code N

Data Source

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set-

Person—date of birth, DDMMYYYY

Data Source

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set-

Person-Indigenous status, code N

Data Source

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set-

Person—area of usual residence, statistical area level 2 (SA2) code (ASGS 2016) N(9)

Data Source

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

Comments:

Data elements are from the Perinatal National Minimum Data Set (NMDS) or have been provided as voluntary non-standardised items by the states and territories. Records with data that are missing, not stated or not interpretable have been excluded from the denominator.

For Tasmania prior to 2012, presentations via caesarean births were not reported by hospitals still using paper-based forms. Where a caesarean section occurred the presentation was recorded as 'Not stated'. Presentations via caesarean births was included in the paper-based form from 1 January 2013. As a result, Tasmania can only be reported 2013 onwards for selected females. Data for parity, a criteria to selected females, were not available from Victoria in 2009.

Source of definition: Australian Council on Healthcare Standards (ACHS) Indicator 1.1: Selected women giving birth for the first time who have a spontaneous vaginal birth. The ACHS defines a spontaneous vaginal birth as a vaginal birth, regardless of onset of labour, which is not assisted by forceps or vacuum and is not a vaginal breech delivery. This ACHS indicator is based on the definition by Women's Healthcare Australasia Core Maternity Indicators Project (WHA 2007).

Representational attributes

Representation class: Percentage

Data type:RealUnit of measure:PersonFormat:N[NN.N]

Data source attributes

Data sources:

Data Source

Perinatal National Minimum Data Set (NMDS)

Frequency

Annual

Data custodian

Australian Institute of Health and Welfare

Data Source

AlHW National Perinatal Data Collection (NPDC)

Frequency

Calendar years ending 31 December each year

Data custodian

Australian Institute of Health and Welfare

Source and reference attributes

Submitting organisation: Australian Institute of Health and Welfare

Reference documents: ACHS (The Australian Council on Healthcare Standards, Health Services Research

Group, University of Newcastle) 2014. The Australasian Clinical Indicator Report:

2006-2013. 15th edn. Sydney: ACHS. Viewed 9 April

2018, https://www.achs.org.au/media/88679/clinical_indicator_report_2006_2013.pdf.

WHA (Women's Healthcare Australasia) 2007. Supporting excellence in maternity care: the core maternity indicators project: findings from the core maternity indicators

Relational attributes

Related metadata references:

Supersedes <u>National Core Maternity Indicators: PI 07–Non-instrumental vaginal birth</u> for selected females giving birth for the first time, 2018

Health, Superseded 19/06/2019

Has been superseded by <u>National Core Maternity Indicators</u>: P107–Non-instrumental vaginal birth for selected females giving birth for the first time, 2020

Health, Superseded 17/12/2021