

Female—type of diabetes mellitus therapy during pregnancy, code N

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Diabetes therapy type during pregnancy
METEOR identifier:	717963
Registration status:	<ul style="list-style-type: none">• Health, Standard 20/11/2019
Definition:	The type of diabetes mellitus treatment which a female is prescribed during pregnancy, as represented by a code.
Data Element Concept:	Female—type of diabetes mellitus therapy during pregnancy

Value domain attributes

Representational attributes

Representation class:	Code								
Data type:	Number								
Format:	N								
Maximum character length:	1								
Permissible values:	<table><thead><tr><th>Value</th><th>Meaning</th></tr></thead><tbody><tr><td>1</td><td>Insulin</td></tr><tr><td>2</td><td>Oral hypoglycaemic</td></tr><tr><td>3</td><td>Diet and exercise</td></tr></tbody></table>	Value	Meaning	1	Insulin	2	Oral hypoglycaemic	3	Diet and exercise
Value	Meaning								
1	Insulin								
2	Oral hypoglycaemic								
3	Diet and exercise								
Supplementary values:	<table><thead><tr><th>Value</th><th>Meaning</th></tr></thead><tbody><tr><td>9</td><td>Not stated/inadequately described</td></tr></tbody></table>	Value	Meaning	9	Not stated/inadequately described				
Value	Meaning								
9	Not stated/inadequately described								

Collection and usage attributes

Guide for use:	<p>CODE 2 Oral hypoglycaemic</p> <p>Includes the options of sulphonylurea, biguanide (e.g. metformin), alpha-glucosidase inhibitor, thiazolidinedione, meglitinide, combination (e.g. biguanide and sulphonylurea), or other oral hypoglycaemic.</p> <p>CODE 3 Diet and exercise</p> <p>Includes the options of generalised prescribed diet; avoidance of added sugar/simple carbohydrates (CHOs); low joule diet; portion exchange diet and uses glycaemic index and a recommendation for increased exercise.</p> <p>CODE 9 Not stated/inadequately described</p> <p>Not for use in primary data collections.</p>
-----------------------	--

Data element attributes

Collection and usage attributes

Guide for use: All therapies prescribed during pregnancy should be recorded. Therefore, more than one code can be recorded when reporting this data element. Each therapy should be recorded once only.

CODE 9 Not stated/inadequately described

To be recorded by data entry personnel (state/territory health authority) if the data field is left blank or is inadequately completed in the primary data collection.

Collection methods: Jurisdictions that record perinatal data using the International Statistical Classification of Diseases and Related Health Problems, 10th Revision, Australian Modification (ICD-10-AM) should apply the following codes, noting that the ICD-10-AM uses a hierarchical coding system for therapy type, and therefore not all types of therapy will necessarily be recorded:

Code 1 (Insulin) is equivalent in the ICD-10-AM to a code in the range O24.1–O24.9 used in conjunction with the fifth character '2' (insulin treated). Note that where a female has Type 1 diabetes, there is no equivalent fifth character applied to the ICD-10-AM code because Type 1 diabetes is always insulin-treated.

Code 2 (Oral hypoglycaemic) is equivalent in the ICD-10-AM to a code in the range O24.1–O24.9 used in conjunction with the fifth character '3' (oral hypoglycaemic therapy).

Code 3 (Diet and exercise) is equivalent in the ICD-10-AM to a code in the range O24.1–O24.9 used in conjunction with the fifth character '4' (other; diet; exercise; lifestyle management).

For example, for a female who has pre-existing Type 2 diabetes mellitus and uses oral hypoglycaemic therapy and insulin, this would be coded in the ICD-10-AM as O24.12 and would be reported against this data element using Code 1.

Source and reference attributes

Reference documents: ACCD (Australian Consortium for Classification Development) 2019. The International Statistical Classification of Diseases and Related Health Problems, 10th Revision, Australian Modification (ICD-10-AM), 11th edn. Tabular list and Alphabetic index. Darlinghurst, NSW: Independent Hospital Pricing Authority.

Relational attributes

Related metadata references:

See also [Female—diabetes mellitus during pregnancy indicator, yes/no/not stated/inadequately described code N](#)

- [Health](#), Standard 03/12/2020

See also [Female—diabetes mellitus during pregnancy indicator, yes/no/not stated/inadequately described code N](#)

- [Health](#), Superseded 03/12/2020

See also [Female—type of diabetes mellitus during pregnancy, code N](#)

- [Health](#), Standard 03/12/2020

See also [Female—type of diabetes mellitus during pregnancy, code N](#)

- [Health](#), Superseded 03/12/2020

Has been superseded by [Female—type of diabetes mellitus therapy during pregnancy, code N](#)

- [Health](#), Recorded 15/06/2022

Supersedes [Female—type of diabetes mellitus therapy during pregnancy, code N](#)

- [Health](#), Superseded 20/11/2019

See also [Person—diabetes therapy type, code NN](#)

- [Health](#), Standard 01/03/2005

Implementation in Data Set Specifications:

[Perinatal NBEDS 2020–21Health](#), Superseded 03/12/2020

Implementation start date: 01/07/2020

Implementation end date: 30/06/2021

Conditional obligation:

DSS specific information:

This is a multiple response data element and is therefore operationalised for data collection across 3 individual data items (one data item per permissible value, excluding Code 99 (Not stated/inadequately described)).

[Perinatal NBEDS 2021–22Health](#), Superseded 17/12/2021

Implementation start date: 01/07/2021

Implementation end date: 30/06/2022

Conditional obligation:

This data element is only to be recorded if the response to the [Female—diabetes mellitus during pregnancy indicator, yes/no/not stated/inadequately described code N](#) data element is Code 1 (Yes).

DSS specific information:

This is a multiple response data element and is therefore operationalised for data collection across 3 individual data items (one data item per permissible value, excluding Code 99 (Not stated/inadequately described)).

[Perinatal NBEDS 2022–23Health](#), Standard 17/12/2021

Implementation start date: 01/07/2022

Implementation end date: 30/06/2023

Conditional obligation:

This data element is only to be recorded if the response to the [Female—diabetes mellitus during pregnancy indicator, yes/no/not stated/inadequately described code N](#) data element is Code 1 (Yes).

DSS specific information:

This is a multiple response data element and is therefore operationalised for data collection across 3 individual data items (one data item per permissible value, excluding Code 99 (Not stated/inadequately described)).