

Acute stroke clinical care standard indicators: 2c- Proportion of patients with a final diagnosis of ischaemic stroke provided thrombolysis who received the therapy within 60 minutes of presentation to hospital, 2019-

Identifying and definitional attributes

Metadata item type:	Indicator
Indicator type:	Indicator
Short name:	Indicator 2c-Proportion of patients with a final diagnosis of ischaemic stroke provided thrombolysis who received the therapy within 60 minutes of presentation to hospital
METEOR identifier:	719050
Registration status:	<ul style="list-style-type: none">• Australian Commission on Safety and Quality in Health Care, Qualified 09/09/2019
Description:	Proportion of acute stroke patients provided thrombolysis who received thrombolysis within 60 minutes of presentation to hospital.
Indicator set:	Clinical care standard indicators: acute stroke Australian Commission on Safety and Quality in Health Care , Standard 03/11/2020

Collection and usage attributes

Computation description:	Both the numerator and the denominator include patients with a final diagnosis of ischaemic stroke who were provided thrombolysis. Presented as a percentage.
Computation:	$(\text{Numerator} \div \text{denominator}) \times 100$
Numerator:	Number of patients with a final diagnosis of ischaemic stroke who were provided thrombolysis who received the therapy within 60 minutes of presentation to hospital.
Denominator:	Number of patients with a final diagnosis of ischaemic stroke who were provided thrombolysis.

Representational attributes

Representation class:	Percentage
Data type:	Real
Unit of measure:	Service event
Format:	N[NN]

Source and reference attributes