

# Acute coronary syndromes clinical care standard indicators: 6d-Proportion of patients with myocardial infarction who had their left ventricular ejection fraction(LVEF) measured prior to separation from hospital, 2019

## Identifying and definitional attributes

<b>Metadata item type:</b>	Indicator
<b>Indicator type:</b>	Indicator
<b>Short name:</b>	Indicator 6c-Proportion of patients with myocardial infarction who had their left ventricular ejection fraction(LVEF) measured
<b>METEOR identifier:</b>	719404
<b>Registration status:</b>	<ul style="list-style-type: none"><li>• <a href="#">Australian Commission on Safety and Quality in Health Care</a>, Qualified 17/09/2019</li></ul>
<b>Description:</b>	Proportion of patients with a final diagnosis of myocardial infarction (MI) who had their left ventricular ejection fraction(LVEF) measured prior to separation from hospital.
<b>Indicator set:</b>	<a href="#">Clinical care standard indicators: acute coronary syndromes Australian Commission on Safety and Quality in Health Care</a> , Standard 29/10/2020

## Collection and usage attributes

<b>Computation description:</b>	Both the numerator and the denominator include patients with diagnosed MI. The denominator excludes patients who died in hospital. Presented as a percentage.
<b>Computation:</b>	$(\text{Numerator} \div \text{denominator}) \times 100$
<b>Numerator:</b>	Number of patients with a final diagnosis of MI who had their LVEF measured prior to separation from hospital.
<b>Denominator:</b>	Number of patients with a final diagnosis of MI separated from hospital.

## Representational attributes

<b>Representation class:</b>	Percentage
<b>Data type:</b>	Real
<b>Unit of measure:</b>	Episode
<b>Format:</b>	N[NN]

## Source and reference attributes