Colonoscopy clinical care standard indicators: 3-Proportion of patients who had a colonoscopy that detected one or more adenoma(s)

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY4.0 (CC BY4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Colonoscopy clinical care standard indicators: 3-Proportion of patients who had a colonoscopy that detected one or more adenoma(s)

Identifying and definitional attributes

Metadata item type:	Indicator
Indicator type:	Indicator
Short name:	3-Proportion of patients who had a colonoscopy that detected one or more adenoma(s)
METEOR identifier:	721280
Registration status:	Health, Qualified 19/09/2019
Description:	Proportion of patients undergoing a <u>colonoscopy</u> who have at least one adenoma is detected.
Indicator set:	<u>Clinical care standard indicators: colonoscopy</u> <u>Health</u> , Qualified 19/09/2019

Collection and usage attributes

Population group age from:	50 years or older
Computation description:	For the patient to be counted in the numerator, at least oneadenoma must be histologically confirmed.
	Both the numerator and denominator only include patients with an intact colon. Both the numerator and denominator exclude patients with a finding of acute inflammatory bowel disease .
	Presented as a percentage.
Computation:	(Numerator ÷ Denominator) x 100
Numerator:	The number of patients undergoing a colonoscopy with at least one adenoma detected.
Denominator:	The number of patients undergoing a colonoscopy.

Representational attributes

Representation class:	Percentage
Data type:	Real
Unit of measure:	Service event
Format:	N[NN]

Source and reference attributes

Submitting organisation: Australian Commission on Safety and Quality in Health Care

Relational attributes

Related metadata	Supersedes Colonoscopy clinical care standard indicators: 3-Proportion of
references:	patients who had a colonoscopy that detected one or more adenoma(s)
	Australian Commission on Safety and Quality in Health Care, Standard
	11/09/2018
	Health, Standard 26/03/2019