

Number of myringotomy hospitalisations per 100,000 people aged 17 years and under, 2012-13, 2015-16 and 2017-18

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Number of myringotomy hospitalisations per 100,000 people aged 17 years and under, 2012-13, 2015-16 and 2017-18

Identifying and definitional attributes

Metadata item type:	Indicator
Indicator type:	Indicator
Short name:	Myringotomy hospitalisations, 17 years and under, 2012-13, 2015-16 and 2017-18
METEOR identifier:	725734
Registration status:	Australian Commission on Safety and Quality in Health Care , Standard 27/04/2021
Description:	Number of myringotomy hospitalisations per 100,000 people aged 17 years and under, age-sex standardised
Indicator set:	Australian Atlas of Healthcare Variation 2021 Australian Commission on Safety and Quality in Health Care , Standard 27/04/2021

Collection and usage attributes

Population group age from:	17 years and under
-----------------------------------	--------------------

Computation description: Inclusion codes, description and additional requirements

ACHI (7th, 9th 10th editions) procedure code	Description	Additional requirements
41626-00	Myringotomy, unilateral	Include records with at least one of the listed procedures. A record with more than one of the listed procedures is counted only once.
41626-01	Myringotomy, bilateral	Include records with at least one of the listed procedures. A record with more than one of the listed procedures is counted only once.
41632-00	Myringotomy with insertion of tube, unilateral	Include records with at least one of the listed procedures. A record with more than one of the listed procedures is counted only once.
41632-01	Myringotomy with insertion of tube, bilateral	Include records with at least one of the listed procedures. A record with more than one of the listed procedures is counted only once.

Exclusion codes and description

Care type	Description
7.3	Newborn – unqualified days only
9.0	Organ procurement – posthumous
10.0	Hospital boarder

Rates are directly age-sex standardised, to the 30 June 2001 Australian population aged 17 years and under, using 5-year age groups: 0-4, 5-9, 10-14 and 15-17. Presented as a number of hospitalisations per 100,000 people.

Indigenous and other Australian rates are directly age-sex standardised, to the 30 June 2001 Australian population aged 17 years and under, using 5-year age groups: 0-4, 5-9, 10-14 and 15-17.

Population estimates at 31 December are calculated as an average of the 30 June population estimates before and after the relevant December to derive a midpoint (31 December) population estimate.

For more information about age-standardisation in general see glossary item [Age-standardised rate](#).

Analysis by Statistical Area Level 3 (SA3) 2016 is based on:

- Statistical Area Level 2 (SA2) 2011 of usual residence of the patient for 2012-13 and 2015-16, converted to SA3 (ASGS 2016) equivalents through an ABS concordance file
- SA2 2016 of usual residence of the patient for 2017-18.

Suppress data (number and rate) if at least one of the following conditions are met:

- the total denominator is less than 1,000
- the total numerator is less than 20.

Age-sex standardised rates are also suppressed where the denominator for at least one of the age-sex groups used to calculate the rate is below 30 and results of sensitivity analysis indicate that the rates are volatile. However, for SA3 data, if the volatility of the rate is not found to have a material impact on its decile, the rate is published with caution. For more information about the sensitivity analysis, see the [Technical supplement of the Fourth Atlas](#).

Consequential suppression may be applied to preserve confidentialised data.

Computation: $100,000 \times (\text{Numerator} \div \text{Denominator})$

Numerator: Number of myringotomy hospitalisations, 17 years and under, 2012-13, 2015-16 and 2017–18

Numerator data elements:

Data Element / Data Set

[Episode of admitted patient care—admission date, DDMMYYYY](#)

Data Source

[National Hospital Morbidity Database \(NHMD\)](#)

NMDS / DSS

[Admitted patient care NMDS 2012-13](#)

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set

[Person—sex, code A](#)

Data Source

[National Hospital Morbidity Database \(NHMD\)](#)

NMDS / DSS

[Admitted patient care NMDS 2015-16](#)

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set

[Person—sex, code A](#)

Data Source

[National Hospital Morbidity Database \(NHMD\)](#)

NMDS / DSS

[Admitted patient care NMDS 2017-18](#)

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set

[Episode of admitted patient care—procedure, code \(ACHI 10th edn\) NNNNN-NN](#)

Data Source

[National Hospital Morbidity Database \(NHMD\)](#)

NMDS / DSS

[Admitted patient care NMDS 2017-18](#)

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set

[Hospital service—care type, code N\[N\]](#)

Data Source

[National Hospital Morbidity Database \(NHMD\)](#)

NMDS / DSS

[Admitted patient care NMDS 2012-13](#)

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set

[Hospital service—care type, code N\[N\]](#)

Data Source

[National Hospital Morbidity Database \(NHMD\)](#)

NMDS / DSS

[Admitted patient care NMDS 2015-16](#)

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set

[Hospital service—care type, code N\[N\]](#)

Data Source

[National Hospital Morbidity Database \(NHMD\)](#)

NMDS / DSS

[Admitted patient care NMDS 2017-18](#)

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set

[Episode of admitted patient care—admission date, DDMMYYYY](#)

Data Source

[National Hospital Morbidity Database \(NHMD\)](#)

NMDS / DSS

[Admitted patient care NMDS 2015-16](#)

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set

[Episode of admitted patient care—admission date, DDMMYYYY](#)

Data Source

[National Hospital Morbidity Database \(NHMD\)](#)

NMDS / DSS

[Admitted patient care NMDS 2017-18](#)

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set

[Person—date of birth, DDMMYYYY](#)

Data Source

[National Hospital Morbidity Database \(NHMD\)](#)

NMDS / DSS

[Admitted patient care NMDS 2012-13](#)

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set

[Person—date of birth, DDMMYYYY](#)

Data Source

[National Hospital Morbidity Database \(NHMD\)](#)

NMDS / DSS

[Admitted patient care NMDS 2015-16](#)

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set

[Person—date of birth, DDMMYYYY](#)

Data Source

[National Hospital Morbidity Database \(NHMD\)](#)

NMDS / DSS

[Admitted patient care NMDS 2017-18](#)

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set

[Episode of admitted patient care—procedure, code \(ACHI 7th edn\) NNNNN-NN](#)

Data Source

[National Hospital Morbidity Database \(NHMD\)](#)

NMDS / DSS

[Admitted patient care NMDS 2012-13](#)

Guide for use

Data source type: Administrative by-product data

Denominator:

Denominator data elements:

Data Element / Data Set

[Episode of admitted patient care—procedure, code \(ACHI 9th edn\) NNNNN-NN](#)

Data Source

[National Hospital Morbidity Database \(NHMD\)](#)

NMDS / DSS

[Admitted patient care NMDS 2015-16](#)

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set

[Person—sex, code A](#)

Data Source

[National Hospital Morbidity Database \(NHMD\)](#)

NMDS / DSS

[Admitted patient care NMDS 2012-13](#)

Guide for use

Data source type: Administrative by-product data
Total population aged 17 years and under, as at 31 December 2012, 2015 and 2017

Data Element / Data Set

[Person—estimated resident population of Australia, total people N\[N\(7\)\]](#)

Data Source

[ABS Australian Demographic Statistics](#)

Guide for use

Data source type: Census based plus administrative by-product data

Data Element / Data Set

[Person—estimated resident population of Australia, total people N\[N\(7\)\]](#)

Data Source

[ABS Indigenous estimates and projections \(2016 Census-based\)](#)

Guide for use

Data source type: Census based plus administrative by-product data

Data Element / Data Set

[Person—estimated resident population of Australia, total people N\[N\(7\)\]](#)

Data Source

[ABS Regional Population by Age and Sex, Australia](#)

Guide for use

Data source type: Census-based plus administrative by-product data

Disaggregation:

SA3 2016

Remoteness (ASGS Remoteness structure 2016)

Socio-Economic Indexes for Areas (SEIFA 2016) Index of Relative

Socioeconomic Disadvantage (IRSD 2016)

Primary Health Network (PHN) 2017

State and territory by:

- Aboriginal and Torres Strait Islander status
- patient funding status

Disaggregation data elements:

Data Element / Data Set

[Establishment—sector, code N](#)

Data Source

[National Hospital Morbidity Database \(NHMD\)](#)

Guide for use

For more information about the patient funding status, see the [Technical supplement of the Fourth Atlas](#)

Data source type: Administrative by-product data

Data Element / Data Set

[Episode of admitted patient care—patient election status, code N](#)

Data Source

[National Hospital Morbidity Database \(NHMD\)](#)

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set

[Person—area of usual residence, statistical area level 2 \(SA2\) code \(ASGS 2016\) N\(9\)](#)

Data Source

[National Hospital Morbidity Database \(NHMD\)](#)

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set

[Episode of care—source of funding, patient funding source code NN](#)

Data Source

[National Hospital Morbidity Database \(NHMD\)](#)

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set

[Person—Indigenous status, code N](#)

Data Source

[National Hospital Morbidity Database \(NHMD\)](#)

Guide for use

Data source type: Administrative by-product data

Representational attributes

Representation class: Rate

Data type: Integer

Unit of measure: Episode
Format: NN[NNNN]

Data source attributes

Data sources:

Data Source

[ABS Australian Demographic Statistics](#)

Frequency

Quarterly

Data custodian

Australian Bureau of Statistics

Data Source

[National Hospital Morbidity Database \(NHMD\)](#)

Frequency

Annual

Data custodian

Australian Institute of Health and Welfare

Data Source

[ABS Indigenous estimates and projections \(2016 Census-based\)](#)

Frequency

Periodic

Data custodian

Australian Bureau of Statistics

Data Source

[ABS Regional Population by Age and Sex, Australia](#)

Frequency

Annually

Data custodian

Australian Bureau of Statistics

Accountability attributes

Methodology: Statistical Area Level 3 (SA3s) are geographic areas defined in the ABS Australian Statistical Geography Standard (ASGS). The aim of SA3s is to create a standard framework for the analysis of ABS data at the regional level through clustering groups of SA2s that have similar regional characteristics. There are 340 spatial SA3s covering the whole of Australia without gaps or overlaps. They are designed to provide a regional breakdown of Australia. SA3s generally have a population of between 30,000 and 130,000 people. There are approximately 78 with fewer than 30,000 people and 46 with more than 130,000 as at 30 June 2016. The Other Territories of Jervis Bay, Cocos (Keeling) Islands, Christmas Island and Norfolk Island are each represented by a SA3 in the 2016 ASGS. For further information see the [ABS publication, Population by Age and Sex, Regions of Australia, 2016](#).

The scope of the NHMD is episodes of care for admitted patients in all public and private acute and psychiatric hospitals, free-standing day hospital facilities and alcohol and drug treatment centres in Australia. Hospitals operated by the Australian Defence Force, corrections authorities and in Australia's off-shore territories are not in scope, but some are included.

Reporting requirements: Australian Commission on Safety and Quality in Health Care
Australian Atlas of Healthcare Variation 2021

Organisation responsible for providing data: Australian Institute of Health and Welfare

Accountability: Australian Commission on Safety and Quality in Health Care

Release date: 28/04/2021

Relational attributes

Related metadata references: See also [ABS Estimated resident population \(total population\), QS Health](#), Standard 08/06/2011
See also [ABS Indigenous experimental estimates and projections, QS Health](#), Standard 08/06/2011
[Indigenous](#), Standard 11/09/2012