

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AlHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Australian Health Performance Framework: Pl 3.1.6— Proportion of babies born with low birthweight, 2020

Identifying and definitional attributes

Metadata item type: Indicator Indicator type: Indicator

Short name: AHPF PI 3.1.6–Proportion of babies born with low birthweight, 2020

METEOR identifier: 728403

Registration status: <u>Health</u>, Standard 02/12/2020

Description: The incidence of low birthweight among live born singleton babies.

Rationale: Low birthweight is associated with increased risk of poor health and death during

infancy, and increased prevalence of a number of chronic diseases in adulthood.

Indicator set: Australian Health Performance Framework, 2020

Health, Superseded 11/07/2023

Collection and usage attributes

Computation description: Low birthweight is defined as less than 2,500 grams.

Excludes multiple births, stillbirths and births of less than 20 weeks gestation.

Analysis by state/territory, remoteness, Socio-Economic Indexes for Areas (SEIFA) Index of Relative Socio-Economic Disadvantage (IRSD) and Primary Health

Network (PHN) is based on the usual residence of the mother.

Data excludes Australian non-residents, residents of external territories and

records where state/territory of usual residence was not stated.

Presented as a:

• number, and

• percentage.

Computation: 100 × (Numerator ÷ Denominator)

Numerator: Number of low birthweight live born singleton babies.

Numerator data elements:

-Data Element / Data Set-

Birth—birth status, code N

Data Source

AlHW National Perinatal Data Collection (NPDC)

NMDS / DSS

Perinatal NMDS 2018-19

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set

Birth event—birth plurality, code N

Data Source

AlHW National Perinatal Data Collection (NPDC)

NMDS / DSS

Perinatal NMDS 2018-19

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set-

Birth—birth weight, total grams NNNN

Data Source

AlHW National Perinatal Data Collection (NPDC)

NMDS / DSS

Perinatal NMDS 2018-19

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set-

Product of conception—gestational age, completed weeks N[N]

Data Source

AlHW National Perinatal Data Collection (NPDC)

NMDS / DSS

Perinatal NMDS 2018-19

Guide for use

Data source type: Administrative by-product data

Denominator:

Number of live born singleton babies.

Denominator data elements:

Data Element / Data Set

Birth—birth status, code N

Data Source

AlHW National Perinatal Data Collection (NPDC)

NMDS / DSS

Perinatal NMDS 2018-19

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set

Birth event—birth plurality, code N

Data Source

AlHW National Perinatal Data Collection (NPDC)

NMDS / DSS

Perinatal NMDS 2018-19

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set-

Product of conception—gestational age, completed weeks N[N]

Data Source

AlHW National Perinatal Data Collection (NPDC)

NMDS / DSS

Perinatal NMDS 2018-19

Guide for use

Data source type: Administrative by-product data

Disaggregation:

2012, 2013, 2014, 2015, 2016, 2017, and 2018—National and state/territory, by:

- Indigenous status of the baby (not reported)
- Indigenous status of the mother
- remoteness (Australian Statistical Geography Standard (ASGS) 2016 Remoteness Structure)
- 2016 Socio-Economic Indexes for Areas (SEIFA) Index of Relative Socioeconomic Disadvantage (IRSD) quintiles.

2012, 2013, 2014, 2015, 2016, 2017, and 2018—Primary Health Network (PHN).

Note that data collection methods for Indigenous status of the mother and baby may vary between states and territories.

Some disaggregations may result in numbers too small for publication.

Disaggregation data elements:

Data Element / Data Set-

Person—Indigenous status, code N

Data Source

AlHW National Perinatal Data Collection (NPDC)

NMDS / DSS

Perinatal NMDS 2018-19

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set

Person—area of usual residence, statistical area level 2 (SA2) code (ASGS 2016) N(9)

Data Source

AlHW National Perinatal Data Collection (NPDC)

NMDS / DSS

Perinatal NMDS 2018-19

Guide for use

Data source type: Administrative by-product data Used for disaggregation by state/territory, remoteness, SEIFA IRSD and PHN.

Geographic unit used is Statistical Area Level 2 (SA2) in the Australian Statistical Geography Standard (ASGS). If data are coded according to the Australian Standard Geographical Classification (ASGC) boundaries, concordance files are used to map to the ASGS.

Remoteness is based on the ASGS 2011 Remoteness Structure from 2012 to 2016 and the ASGS 2016 Remoteness Structure from 2017.

SEIFA IRSD is based on the 2011 SEIFA IRSD from 2012 to 2016 and the 2016 SEIFA IRSD from 2017.

PHN is based on the ASGS 2011 from 2012 to 2016 and the ASGS 2016 from 2017.

Comments:

Most recent data available for 2020 Australian Health Performance Framework reporting: 2018 (calendar year data).

Information is included in the National Perinatal Data Collection (NPDC) for both live births and stillbirths, where gestational age is at least 20 weeks or birthweight is at least 400 grams, except in Victoria and Western Australia, where births are included if gestational age is at least 20 weeks or, if gestation is unknown, birthweight is at least 400 grams. Data for this indicator may therefore include live born terminations of pregnancy of at least 20 weeks gestation.

The term 'Aboriginal and Torres Strait Islander people' is preferred when referring to the separate Indigenous peoples of Australia. However, the term 'Indigenous' is used interchangeably with 'Aboriginal and Torres Strait Islander' in this indicator to assist readability.

Representational attributes

Representation class: Percentage

Data type: Real

Unit of measure: Person

Format: N[NN].N

Indicator conceptual framework

Framework and dimensions:

1. Health conditions

Data source attributes

Data sources: **Data Source**

AlHW National Perinatal Data Collection (NPDC)

Frequency

Calendar years ending 31 December each year

Data custodian

Australian Institute of Health and Welfare

Accountability attributes

Reporting requirements: Australian Health Performance Framework Organisation responsible

for providing data:

Australian Institute of Health and Welfare

Relational attributes

Related metadata references:

Supersedes Australian Health Performance Framework: PI 3.1.6-Proportion of babies born with low birthweight, 2019

Health, Superseded 01/12/2020

See also National Healthcare Agreement: PI 01-Proportion of babies born of low birth weight, 2020

Health, Standard 13/03/2020

See also National Healthcare Agreement: PI 01-Proportion of babies born of low birth weight, 2022

Health, Standard 24/09/2021

See also National Indigenous Reform Agreement: PI 07-Proportion of babies born of low birthweight, 2020

Indigenous, Standard 23/08/2019