

# **Third and Fourth Degree Perineal Tears Clinical Care Standard: 3c-Proportion of women who had a vacuum-assisted birth with episiotomy**

**Exported from METEOR (AIHW's Metadata Online Registry)**

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to [info@aihw.gov.au](mailto:info@aihw.gov.au).

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at [meteor@aihw.gov.au](mailto:meteor@aihw.gov.au).

# Third and Fourth Degree Perineal Tears Clinical Care Standard: 3c-Proportion of women who had a vacuum-assisted birth with episiotomy

## Identifying and definitional attributes

<b>Metadata item type:</b>	Indicator
<b>Indicator type:</b>	Indicator
<b>Short name:</b>	3c-Proportion of women who had a vacuum-assisted birth with episiotomy
<b>METEOR identifier:</b>	728502
<b>Registration status:</b>	<a href="#">Australian Commission on Safety and Quality in Health Care</a> , Standard 20/04/2021
<b>Description:</b>	The proportion of women who had a vacuum-assisted birth with episiotomy.
<b>Indicator set:</b>	<a href="#">Clinical care standard indicators: Third and Fourth Degree Perineal Tears</a> <a href="#">Australian Commission on Safety and Quality in Health Care</a> , Standard 20/04/2021

## Collection and usage attributes

<b>Population group age from:</b>	18 yrs or older
<b>Computation description:</b>	The proportion of women who had a vacuum-assisted birth with episiotomy. Presented as a percentage.
<b>Computation:</b>	$(\text{Numerator} \div \text{Denominator}) \times 100$
<b>Numerator:</b>	Number of women who had a vacuum-assisted birth with episiotomy. Include separations where vacuum-assisted delivery AND episiotomy procedure codes were recorded.

### 10th Edition ACHI codes

ACHI code	Procedure
90469-00	Vacuum-assisted delivery
90472-00	Episiotomy

<b>Numerator data elements:</b>	<b>Data Element / Data Set</b> <a href="#">Episode of admitted patient care—procedure, code (ACHI 10th edn) NNNNN-NN</a>
---------------------------------	---

<b>Denominator:</b>	Number of women who had a vacuum-assisted birth. Include separations where vacuum-assisted delivery procedure code was recorded.
---------------------	---

### 10th Edition ACHI codes

ACHI code	Procedure
90469-00	Vacuum assisted delivery

Denominator data elements:

Data Element / Data Set

Data Element / Data Set

[Episode of care—principal diagnosis, code \(ICD-10-AM 10th edn\) ANN{.N\[N\]}](#)

Data Element / Data Set

[Episode of care—additional diagnosis, code \(ICD-10-AM 10th edn\) ANN{.N\[N\]}](#)

## Representational attributes

Representation class: Percentage

Data type: Real

Unit of measure: Person

Format: N[NN]

## Source and reference attributes

Submitting organisation: Australian Commission on Safety and Quality in Health Care

Reference documents: Australian Commission on Safety and Quality in Health Care 2017. National Safety and Quality Health Service Standards. 2nd ed. Australian Commission on Safety and Quality in Health Care, Sydney.

Australian Commission on Safety and Quality in Health Care 2021. Third and Fourth Degree Perineal Tears clinical care standard. Australian Commission on Safety and Quality in Health Care, Sydney.