
# National Core Maternity Indicators: PI 09—General anaesthetic for females giving birth by caesarean



**Exported from METEOR (AIHW's Metadata Online Registry)** 

#### © Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

# National Core Maternity Indicators: PI 09–General anaesthetic for females giving birth by caesarean section, 2020

#### Identifying and definitional attributes

Metadata item type: Indicator Indicator type: Indicator

**Common name:** General anaesthetic for females giving birth by caesarean section

**Short name:** PI 09–General anaesthetic for females giving birth by caesarean section, 2020

METEOR identifier: 728730

Registration status: <u>Health</u>, Superseded 17/12/2021

**Description:** The proportion of all females who gave birth by caesarean section and had a

general anaesthetic.

Rationale: This indicator is used to benchmark anaesthetic care in association with

caesarean section.

Indicator set: National Core Maternity Indicators, 2020

Health, Superseded 17/12/2021

#### Collection and usage attributes

**Computation description:** The number of females who gave birth by caesarean section and had a general

anaesthetic, divided by the number of females who gave birth by caesarean section and recorded a permissible value for general anaesthetic, and multiplied by 100.

A birth is defined as the complete expulsion or extraction from a female, of a product of conception of 20 or more completed weeks of gestation or of 400 grams

or more birthweight.

Caesarean section is an operative procedure to remove the baby through an

incision through the female's abdomen and uterus.

Included are those females who gave birth by caesarean section.

Excluded are those females who gave birth through the vagina.

**Computation:** 100 × (Numerator ÷ Denominator)

**Numerator:** The number of females who gave birth by caesarean section and had a general

anaesthetic.

#### Numerator data elements:

#### Data Element / Data Set

Birth event—birth method, code N

**Data Source** 

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

#### Data Element / Data Set

Birth event—type of anaesthesia administered, code N[N]

**Data Source** 

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

#### Data Element / Data Set-

Birth event—anaesthesia administered indicator, yes/no code N

Data Source

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

**Denominator:** 

Number of females who gave birth by caesarean section and recorded a permissible value for general anaesthetic.

## Denominator data elements:

#### Data Element / Data Set

Birth event—birth method, code N

**Data Source** 

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

#### Data Element / Data Set

Birth event—type of anaesthesia administered, code N[N]

**Data Source** 

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

#### Disaggregation:

- · Year of birth
- · State or territory of birth
- · Mother's age at birth
- · Hospital annual number of births
- Hospital sector
- Remoteness category (from mother's area of usual residence)
- Indigenous status of mother
- Labour/non-labour
- Primary Health Network (from mother's area of usual residence)
- Statistical local area 3 (from mother's area of usual residence)

## Disaggregation data elements:

#### Data Element / Data Set

#### Data Element

Hospital annual number of births

**Data Source** 

AlHW National Perinatal Data Collection (NPDC)

Guide for use

Data source type: Administrative by-product data

#### Data Element / Data Set

**Data Element** 

Hospital sector

**Data Source** 

AlHW National Perinatal Data Collection (NPDC)

#### Data Element / Data Set

Birth event—state/territory of birth, code N

**Data Source** 

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

#### Data Element / Data Set

Person—date of birth, DDMMYYYY

**Data Source** 

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

#### Data Element / Data Set-

Birth event—labour onset type, code N

**Data Source** 

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

#### Data Element / Data Set-

Person—Indigenous status, code N

**Data Source** 

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

#### Data Element / Data Set-

Person—area of usual residence, statistical area level 2 (SA2) code (ASGS 2016) N(9)

Data Source

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

Comments: Data elements are from the Perinatal National Minimum Data Set (NMDS) or have

been provided as voluntary non-standardised items by the states and territories.

Only records with a permissible value have been included in the denominator.

Source of definition: Australian Council on Healthcare Standards (ACHS) Indicator 4.1: General anaesthesia for caesarean section. This ACHS indicator is based on the definition by Women's Healthcare Australasia Core Maternity Indicators Project (WHA 2007).

#### Representational attributes

Representation class: Percentage

Data type:RealUnit of measure:PersonFormat:N[NN.N]

#### **Data source attributes**

Data sources: —Data Source

Perinatal National Minimum Data Set (NMDS)

Frequency

Annual

Data custodian

Australian Institute of Health and Welfare

Data Source

AlHW National Perinatal Data Collection (NPDC)

Frequency

Calendar years ending 31 December each year

Data custodian

Australian Institute of Health and Welfare

#### Source and reference attributes

**Submitting organisation:** Australian Institute of Health and Welfare

Reference documents: ACHS (The Australian Council on Healthcare Standards, Health Services

Research Group, University of Newcastle) 2014. The Australasian Clinical Indicator

Report: 2006-2013. 15th edn. Sydney: ACHS. Viewed 9 April 2018,

https://www.achs.org.au/media/88679/clinical indicator report 2006 2013.pdf.

WHA (Women's Healthcare Australasia) 2007. Supporting excellence in maternity care: the core maternity indicators project: findings from the core maternity

indicators project. Canberra: WHA.

#### Relational attributes

Related metadata references:

Supersedes National Core Maternity Indicators: PI 09-General anaesthetic for

females giving birth by caesarean section, 2019

Health, Superseded 16/09/2020

Has been superseded by National Core Maternity Indicators: PI 09—General

anaesthetic for females giving birth by caesarean section, 2021

Health, Superseded 09/09/2022