Product of birth—active resuscitation method, code N[N]

Exported from METEOR (AIHW's Metadata Online Registry)		
O Acceptable on the state of the ord Welfers 2004		
© Australian Institute of Health and Welfare 2024		
This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.		
You may distribute, remix and build on this website's material but must attribute the AlHW as the copyright holder, in line with our		

Metadata 732883

meteor@aihw.gov.au.

attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Product of birth—active resuscitation method, code N[N]

Identifying and definitional attributes

Metadata item type: Data Element

Short name: Active resuscitation of baby method

METEOR identifier: 732883

Registration status: Health, Standard 03/12/2020

Tasmanian Health, Standard 08/11/2023

Definition: Active measure taken immediately after birth to establish a baby's independent

respiration and heartbeat, or to treat depressed respiratory effect and to correct

metabolic disturbances, as represented by a code.

Context: Perinatal

Data Element Concept: Product of birth—active resuscitation method

Value

Value Domain: Active resuscitation method code N[N]

Value domain attributes

Representational attributes

Representation class: Code

Data type: Number

Format: N[N]

Maximum character length: 2

		•
Permissible values:	2	Suction
	3	Oxygen therapy
	7	Intermittent positive pressure ventilation (IPPV)

8 Continuous positive airway pressure (CPAP) ventilation

10 Intubation

11 External cardiac compressions

Meaning

88 Other

Supplementary values: 99 Not stated/inadequately described

Collection and usage attributes

Guide for use: CODE 7 Intermittent positive pressure ventilation (IPPV)

May include flow-driven pressure-limited device, such as Neopuff© (an infant T-

piece resuscitator).

CODE 8 Continuous positive airway pressure (CPAP) ventilation

May include flow-driven pressure-limited device, such as Neopuff© (an infant T-

piece resuscitator).

Comments: Code 1 (None), Code 4 (Intermittent positive pressure respiration (IPPR) through

bag and mask), Code 5 (Endotracheal intubation and IPPR), Code 6 (External cardiac massage and ventilation) and Code 9 (Not stated) have been omitted as these codes are no longer in use. For information about their meaning in previous

data elements, see superseded versions.

Source and reference attributes

Submitting organisation: National Perinatal Data Development Committee

Data element attributes

Collection and usage attributes

Guide for use: This data element does not include any drug therapy.

All methods of active resuscitation used should be recorded. Therefore more than one permissible value may be recorded for this data element. Each method should

be recorded once only.

The permissible value selected should reflect the method of resuscitation rather than the device used to deliver resuscitation. For example, if intermittent positive pressure ventilation (IPPV) is delivered via a continuous positive airway pressure (CPAP) device, without CPAP ventilation also being delivered, then IPPV only

should be recorded.

Comments: Required to analyse need for resuscitation after complications of labour and

delivery, and to evaluate level of services needed for different birth settings.

IPPV is also known as intermittent positive pressure respiration (IPPR).

Intubation or laryngeal mask ventilation may be added at any stage of the resuscitation. The timing will often depend on the familiarity and skill of the clinician with the procedure. For a skilled and experienced clinician, intubation will normally

occur earlier in the resuscitation.

The use of a size 1 laryngeal mask airway for the administration of IPPV is suitable for neonates of more than 34 weeks gestation or 2,000 grams (up to 5,000 grams)

(ANZCOR 2016).

Source and reference attributes

Submitting organisation: National Perinatal Data Development Committee

Reference documents: ANZCOR (Australian Resuscitation Council and New Zealand Resuscitation

Council) 2016. ANZCOR Guideline 13.5—Tracheal intubation and ventilation of the newly born infant. Viewed 18 September 2020, https://resus.org.au/guidelines/.

Relational attributes

Related metadata references:

Supersedes Product of birth—active resuscitation method, code N[N]

Health, Superseded 03/12/2020

See also Product of birth—active resuscitation indicator, yes/no/not

stated/inadequately described code N Health, Standard 03/12/2020

Tasmanian Health, Standard 08/11/2023

Implementation in Data Set Specifications:

Implementation in Data Set Baby data elements (TDLU) cluster

<u>Tasmanian Health</u>, Standard 17/11/2023 Implementation start date: 01/07/2023

Implementation end date: 30/06/2025

Perinatal NMDS 2021-22

<u>Health</u>, Superseded 17/12/2021 Implementation start date: 01/07/2021 Implementation end date: 30/06/2022

Conditional obligation:

The data element is only to be recorded if the response to the <u>Product of birth—active resuscitation indicator, yes/no/not stated/inadequately described code</u> <u>N</u> data element is Code 1 (Yes).

Perinatal NMDS 2022-23

<u>Health</u>, Superseded 09/12/2022 *Implementation start date:* 01/07/2022 *Implementation end date:* 30/06/2023

Conditional obligation:

The data element is only to be recorded if the response to the <u>Product of birth—active resuscitation indicator, yes/no/not stated/inadequately described code</u> N data element is Code 1 (Yes).

Perinatal NMDS 2023-24

<u>Health</u>, Superseded 06/12/2023 *Implementation start date:* 01/07/2023 *Implementation end date:* 30/06/2024

Conditional obligation:

The data element is only to be recorded if the response to the <u>Product of birth—active resuscitation indicator, yes/no/not stated/inadequately described code N data element is Code 1 (Yes).</u>

Perinatal NMDS 2024-25

Health, Standard 06/12/2023

Implementation start date: 01/07/2024 Implementation end date: 30/06/2025

Conditional obligation:

The data element is only to be recorded if the response to the <u>Product of birth—active resuscitation indicator, yes/no/not stated/inadequately described code N data element is Code 1 (Yes).</u>

Tasmanian Perinatal Data Set - 2023

Tasmanian Health, Standard 23/11/2023

Implementation start date: 01/07/2023
Implementation end date: 30/06/2024