

# Birth event—type of analgesia administered

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to [info@aihw.gov.au](mailto:info@aihw.gov.au).

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at [meteor@aihw.gov.au](mailto:meteor@aihw.gov.au).

# Birth event—type of analgesia administered

## Identifying and definitional attributes

Metadata item type:	Data Element Concept
METEOR identifier:	733091
Registration status:	<a href="#">Health</a> , Standard 03/12/2020 <a href="#">Tasmanian Health</a> , Standard 08/11/2023
Definition:	The type of <a href="#">analgesia</a> administered to a female during a birth event.
Context:	Perinatal

## Object Class attributes

### Identifying and definitional attributes

Object class:	<a href="#">Birth event</a>
METEOR identifier:	684797
Registration status:	<a href="#">Health</a> , Standard 12/12/2018 <a href="#">Tasmanian Health</a> , Standard 08/11/2023
Definition:	The sequence of actions by which a baby and the placenta are expelled or extracted from the female's uterus at childbirth. The process usually starts spontaneously about 280 days after conception with onset of labour, but it may be started by artificial means. The process ends upon complete expulsion or extraction of the baby and the placenta.

### Source and reference attributes

Submitting organisation:	Australian Institute of Health and Welfare
Origin:	University of Oxford 2002. Concise Colour Medical Dictionary 3rd edn. UK: Oxford University Press.

## Property attributes

### Identifying and definitional attributes

Property:	<a href="#">Type of analgesia administered</a>
METEOR identifier:	733087
Registration status:	<a href="#">Health</a> , Standard 03/12/2020 <a href="#">Tasmanian Health</a> , Standard 08/11/2023
Definition:	The type of analgesia administered to an individual.
Property group:	<a href="#">Service provision event</a>

### Source and reference attributes

Submitting organisation:	National Perinatal Data Development Committee
Origin:	Dorland, WAN (2003). Dorland's illustrated medical dictionary. 30th edition. W.B. Saunders Company: Philadelphia.

## Data element concept attributes

### Source and reference attributes

Submitting organisation:	National Perinatal Data Development Committee
--------------------------	---

## Relational attributes

### Related metadata references:

Supersedes [Birth event—type of analgesia administered Health](#), Superseded 03/12/2020

### Data Elements implementing this Data Element Concept:

[Birth event—type of analgesia administered, code N\[N\] Health](#), Standard 17/12/2021  
[Tasmanian Health](#), Standard 08/11/2023

[Birth event—type of analgesia administered, code N\[N\] Health](#), Superseded 17/12/2021