

# Birth event—anaesthesia administered indicator

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to [info@aihw.gov.au](mailto:info@aihw.gov.au).

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at [meteor@aihw.gov.au](mailto:meteor@aihw.gov.au).

# Birth event—anaesthesia administered indicator

## Identifying and definitional attributes

<b>Metadata item type:</b>	Data Element Concept
<b>METEOR identifier:</b>	733239
<b>Registration status:</b>	<a href="#">Health</a> , Standard 03/12/2020
<b>Definition:</b>	An indicator of whether <a href="#">anaesthesia</a> was administered to the female during a birth event.
<b>Context:</b>	Perinatal

## Object Class attributes

### Identifying and definitional attributes

<b>Object class:</b>	<a href="#">Birth event</a>
<b>METEOR identifier:</b>	684797
<b>Registration status:</b>	<a href="#">Health</a> , Standard 12/12/2018 <a href="#">Tasmanian Health</a> , Standard 08/11/2023
<b>Definition:</b>	The sequence of actions by which a baby and the placenta are expelled or extracted from the female's uterus at childbirth. The process usually starts spontaneously about 280 days after conception with onset of labour, but it may be started by artificial means. The process ends upon complete expulsion or extraction of the baby and the placenta.

### Source and reference attributes

<b>Submitting organisation:</b>	Australian Institute of Health and Welfare
<b>Origin:</b>	University of Oxford 2002. Concise Colour Medical Dictionary 3rd edn. UK: Oxford University Press.

## Property attributes

### Identifying and definitional attributes

<b>Property:</b>	<a href="#">Anaesthesia administered indicator</a>
<b>METEOR identifier:</b>	495462
<b>Registration status:</b>	<a href="#">Health</a> , Standard 07/02/2013
<b>Definition:</b>	An indicator of whether anaesthesia was administered to an individual.
<b>Property group:</b>	<a href="#">Service provision event</a>

### Source and reference attributes

<b>Submitting organisation:</b>	National Perinatal Data Development Committee
---------------------------------	---

## Data element concept attributes

### Source and reference attributes

<b>Submitting organisation:</b>	National Perinatal Data Development Committee
---------------------------------	---

## Relational attributes

**Related metadata references:**

Supersedes [Birth event—anaesthesia administered indicator](#)  
[Health](#), Superseded 03/12/2020

**Data Elements implementing this Data Element Concept:**

[Birth event—anaesthesia administered indicator, yes/no/not stated/inadequately described code N](#)

[Health](#), Superseded 09/12/2022

[Birth event—anaesthesia administered indicator, yes/no/not stated/inadequately described code N](#)

[Health](#), Standard 09/12/2022