

# Management of Peripheral Intravenous Catheters Clinical Care Standard: 04a-Evidence of local arrangements that provide systematic support for decisions related to the selection of an appropriate PIVC device

## Identifying and definitional attributes

<b>Metadata item type:</b>	Indicator
<b>Indicator type:</b>	Indicator
<b>Short name:</b>	4a-Evidence of local arrangements that provide systematic support for decisions related to the selection of an appropriate PIVC device
<b>METEOR identifier:</b>	733358
<b>Registration status:</b>	<ul style="list-style-type: none"><li>• <a href="#">Australian Commission on Safety and Quality in Health Care</a>, Standard 25/05/2021</li></ul>
<b>Description:</b>	Evidence of local arrangements that provide systematic support for decisions related to the selection of an appropriate PIVC device.
<b>Rationale:</b>	An appropriate PIVC should be selected and inserted in a suitable site to minimise the risk of failure and other device-related complications.
<b>Indicator set:</b>	<a href="#">Clinical care standard indicators: Management of Peripheral Intravenous Catheters Australian Commission on Safety and Quality in Health Care</a> , Standard 25/05/2021

## Collection and usage attributes

**Computation description:** A local arrangement is a written policy, protocol, and/or algorithm that provides systematic decision support for device selection.

Examples of available tools include:

- Michigan Appropriateness Guide for Intravenous Catheters (MAGIC)
- MiniMAGIC.

**Computation:** Yes/No

A healthcare setting that has documented evidence of a locally approved policy that is implemented should record 'Yes.' Otherwise, the healthcare setting should record 'No.'

## Representational attributes

**Representation class:** Count

**Data type:** Real

**Unit of measure:** Service event

**Format:** Yes/No

## Source and reference attributes

**Submitting organisation:** Australian Commission on Safety and Quality in Health Care

**Reference documents:** Australian Commission on Safety and Quality in Health Care 2021. Peripheral Venous Access clinical care standard. Australian Commission on Safety and Quality in Health Care, Sydney.

© Australian Institute of Health and Welfare 2015–2022

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 3.0 (CC BY 3.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build upon this work. However, you must attribute the AIHW as the copyright holder of the work in compliance with our attribution policy available at [www.aihw.gov.au/copyright](http://www.aihw.gov.au/copyright). The full terms and conditions of this licence are available at <http://creativecommons.org/licenses/by3.0/au/>.

Enquiries relating to copyright should be addressed to the Head of the Communications, Media and Marketing Unit, Australian Institute of Health and Welfare, GPO Box 570, Canberra ACT 2601.