

Female—hypertensive disorder during pregnancy indicator

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Female—hypertensive disorder during pregnancy indicator

Identifying and definitional attributes

Metadata item type:	Data Element Concept
METEOR identifier:	733522
Registration status:	Health , Standard 03/12/2020
Definition:	An indicator of whether a female has a hypertensive disorder during pregnancy , based on a current or previous diagnosis.

Object Class attributes

Identifying and definitional attributes

Object class:	Female
Definition:	A human being of the sex which conceives and brings forth young.
Specialisation of:	Person/group of persons

Source and reference attributes

Submitting organisation:	Australia Institute of Health and Welfare
Origin:	Macquarie University 2003. The Macquarie Dictionary 3rd ed. Sydney: The Macquarie Library Pty Ltd.

Property attributes

Identifying and definitional attributes

Property:	Hypertensive disorder during pregnancy indicator
Definition:	An indicator of whether a hypertensive disorder during pregnancy is present. Hypertensive disorders in pregnancy include eclampsia, preeclampsia, gestational hypertension, chronic hypertension (essential and secondary) and preeclampsia/eclampsia superimposed on a hypertensive disorder.
Property group:	Illness and/or Injury event

Source and reference attributes

Submitting organisation:	National Perinatal Data Development Committee
Origin:	National Perinatal Data Development Committee Australian Institute of Health and Welfare
Reference documents:	Lowe SA, Bowyer L, Lust K, McMahon LP, Morton MR, North RA et al. 2014. Guideline for the management of hypertensive disorders of pregnancy. Society of Obstetric Medicine of Australia and New Zealand. Viewed 18 September 2020, https://ranzocg.edu.au/RANZCOG_SITE/media/RANZCOG-MEDIA/Women%27s%20Health/SOMANZ-Hypertension-Pregnancy-Guideline-April-2014.pdf?ext=.pdf

Data element concept attributes

Relational attributes

Related metadata references:

Supersedes [Female—hypertensive disorder during pregnancy indicator](#)
[Health](#), Superseded 03/12/2020

Data Elements implementing this Data Element Concept:

[Female—hypertensive disorder during pregnancy indicator, yes/no/not stated/inadequately described code N](#)
[Health](#), Superseded 09/09/2022

[Female—hypertensive disorder during pregnancy indicator, yes/no/not stated/inadequately described code N](#)
[Health](#), Standard 09/09/2022