

# **Management of Peripheral Intravenous Catheters**

## **Clinical Care Standard: 07a-Evidence of a locally approved policy that defines the documentation for PIVC insertion, maintenance, removal, and regular review**

**Exported from METEOR (AIHW's Metadata Online Registry)**

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to [info@aihw.gov.au](mailto:info@aihw.gov.au).

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at [meteor@aihw.gov.au](mailto:meteor@aihw.gov.au).

# Management of Peripheral Intravenous Catheters

## Clinical Care Standard: 07a-Evidence of a locally approved policy that defines the documentation for PIVC insertion, maintenance, removal, and regular review

### Identifying and definitional attributes

<b>Metadata item type:</b>	Indicator
<b>Indicator type:</b>	Indicator
<b>Short name:</b>	7a-Evidence of a locally approved policy that defines the documentation for PIVC insertion, maintenance, removal, and regular review
<b>METEOR identifier:</b>	735072
<b>Registration status:</b>	<a href="#">Australian Commission on Safety and Quality in Health Care, Standard 25/05/2021</a>
<b>Description:</b>	Evidence of a locally approved policy that defines the documentation for PIVC insertion, maintenance, removal, and regular review.
<b>Rationale:</b>	The plan for a patient's PIVC should be clear and decisions relating to the device and its condition accurately recorded and accessible to all clinicians involved in the patient's care.
<b>Indicator set:</b>	<a href="#">Clinical care standard indicators: Management of Peripheral Intravenous Catheters</a> <a href="#">Australian Commission on Safety and Quality in Health Care, Standard 25/05/2021</a>

### Collection and usage attributes

<b>Computation description:</b>	The policy should specify: <ul style="list-style-type: none"><li>• The information that must be documented in the medical record for every PIVC inserted, including, indication for insertion, maintenance, and removal</li><li>• How often documentation should occur, and</li><li>• The organisation's process to assess adherence to the policy.</li></ul>
<b>Computation:</b>	Yes/No  A healthcare setting that has documented evidence of a locally approved policy that is implemented should record 'Yes.' Otherwise, the healthcare setting should record 'No.'

### Representational attributes

<b>Representation class:</b>	Count
<b>Data type:</b>	Real
<b>Unit of measure:</b>	Service event
<b>Format:</b>	Yes/No

### Source and reference attributes

<b>Submitting organisation:</b>	Australian Commission on Safety and Quality in Health Care
---------------------------------	--

**Reference documents:**

Australian Commission on Safety and Quality in Health Care 2021. Peripheral Venous Access clinical care standard. Australian Commission on Safety and Quality in Health Care, Sydney.

Schults JA, Kleidon T, Chopra C, et al. International recommendations for a vascular access minimum data set: A Delphi consensus-building study. 2020. BMJ Quality & Safety.