

## © Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AlHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

# AUDIT-C result code N

## Identifying and definitional attributes

Metadata item type: Value Domain

**METEOR** identifier: 741480

Registration status: Indigenous, Standard 14/07/2021

**Definition:** A code set identifying the AUDIT-C result

Context: AUDIT-C is a 3-item alcohol screen that can help identify persons who are

hazardous drinkers or have active alcohol use disorders (including alcohol abuse or

dependence).

# Representational attributes

Representation class: Code Data type: Boolean

Format: Maximum character length: 1

Meaning

Permissible values: Not at risk 1

At risk

## Collection and usage attributes

Guide for use: CODE 1: Not at risk

Use this code when the AUDIT-C score is < 4 in males or < 3 in females.

CODE 2: At risk

Use this code when the AUDIT-C score is  $\geq 4$  in males or  $\geq 3$  in females.

**Collection Methods:** AUDIT-C is scored on a scale of 0-12. Each AUDIT-C question has 5 answer

choices, which are rated from 0 to 5. A total score of  $\geq$  4 in males or  $\geq$  3 in females is considered positive, optimal for identifying hazardous drinking or active alcohol

use disorders.

Comments: AUDIT-C is a 3-item alcohol screen that can help identify persons who are

hazardous drinkers or have active alcohol use disorders (including alcohol abuse or

dependence). The AUDIT-C is a modified version of the 10 question AUDIT

instrument.

### Source and reference attributes

**Submitting organisation:** Australian Institute of Health and Welfare (AIHW)

Bush K, Kivlahan DR, McDonnell MB et al. 1998. Alcohol consumption questions Reference documents:

(AUDIT-C): an effective brief screening test for problem drinking. Archives of

Internal Medicine 1998(3): 1789-95.

#### Relational attributes

Related metadata

Supersedes AUDIT-C result code N references: Health, Standard 13/03/2015

Indigenous, Superseded 14/07/2021

Data elements implementing this value domain:

Person—AUDIT-C result, code N Indigenous, Standard 14/07/2021