Perinatal NBEDS 2022–23

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AlHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Perinatal NBEDS 2022–23

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
-	Perinatal NMDS 2022–23	742052		
-	Actual place of birth	732336	Number [1]	1 Hospital, excluding birth centre 2 Birth centre, attached to hospital 3 Birth centre, free standing 4 Home 5 Born before arrival 6 Community, non-medical 8 Other 9 Not stated/inadequately described
-	Anaesthesia administered during birth event indicator	732332	Boolean [1]	1 Yes 2 No 9 Not stated/inadequately described
-	Analgesia administered during a birth event indicator	732344	Boolean [1]	1 Yes 2 No 9 Not stated/inadequately described
-	Method of birth	749920	Number [1]	1 Vaginal—non-instrumental 2 Vaginal—forceps 4 Caesarean section 5 Vaginal—vacuum extraction 9 Not stated/inadequately described
-	Presentation at birth	749924	Number [1]	1 Vertex 2 Breech 3 Face 4 Brow 8 Other 9 Not stated/inadequately described
-	Labour induction method	732387	Number [2]	1 Oxytocin 2 Prostaglandins 3 Artificial rupture of membranes (ARM) 6 Mechanical cervical dilatation 7 Antiprogestogen 88 Other 99 Not stated/inadequately described

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
-	Labour onset type	749927	Number [1]	1 Spontaneous 2 Induced 3 No labour 9 Not stated/inadequately described
-	State/territory of birth	718242	Number [1]	1 New South Wales 2 Victoria 3 Queensland 4 South Australia 5 Western Australia 6 Tasmania 7 Northern Territory 8 Australian Capital Territory 9 Other territories (Cocos (Keeling) Islands, Christmas Island and Jervis Bay Territory)
-	Type of anaesthesia administered during a birth event	749932	Number [2]	2 Local anaesthetic to perineum 3 Pudendal block 4 Epidural or caudal block 5 Spinal block 6 General anaesthesia 7 Combined spinal-epidural block 88 Other anaesthesia
-	Type of analgesia administered during a birth event	749937	Number [2]	99 Not stated/inadequately described 2 Nitrous oxide 4 Epidural or caudal block 5 Spinal block 6 Systemic opioids 7 Combined spinal-epidural block 88 Other analgesia 99 Not stated/inadequately described
-	Separation date	270025	Date/Time [8]	DDMMYYYY The day of a particular month and year.
-	Establishment identifier	269973	String [9]	NNX[X]NNNNN A combination of numeric and alphanumeric characters that identify an entity.
-	Caesarean section at most recent previous birth indicator	732743	Number [1]	1 Yes 2 No 7 Not applicable 9 Not stated/inadequately described

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
-	Diabetes during pregnancy indicator	759635	Boolean [1]	1 Yes 2 No 9 Not stated/inadequately described
-	Hypertension during pregnancy indicator	759637	Boolean [1]	1 Yes 2 No 9 Not stated/inadequately described
-	Antenatal care visits	717735	Number [2]	99 Not stated/inadequately described
-	Number of tobacco cigarettes smoked per day after 20 weeks of pregnancy	695382	Number [3]	998 Occasional smoking (less than one) 999 Not stated/inadequately described
-	<u>Parity</u>	733287	Number [2]	99 Not stated
-	Postpartum perineal status	759639	Number [2]	1 Intact 2 1st degree laceration/vaginal graze 3 2nd degree laceration 4 3rd degree laceration 5 Episiotomy 7 4th degree laceration 88 Other perineal laceration, rupture or tear 99 Not stated/inadequately described
-	Tobacco smoking after 20 weeks of pregnancy indicator	695447	Boolean [1]	1 Yes 2 No 9 Not stated/inadequately described
-	Tobacco smoking in the first 20 weeks of pregnancy indicator	695487	Boolean [1]	1 Yes 2 No 9 Not stated/inadequately described
-	Area of usual residence (SA2)	747315	String [9]	N(9) A code set representing a medium-sized general purpose area aggregated from whole Statistical Area Level 1s (SA1s).
-	Country of birth	659454	Number [4]	NNNN The Standard Australian Classification of Countries (SACC 2016) code set
-	Date of birth	287007	Date/Time [8]	representing a country. DDMMYYYY The day of a particular month and year.

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
-	Indigenous status	602543	Number [1]	1 Aboriginal but not Torres Strait Islander origin 2 Torres Strait Islander but not Aboriginal origin 3 Both Aboriginal and Torres Strait Islander origin 4 Neither Aboriginal nor Torres Strait Islander origin 9 Not stated/inadequately described
-	Person identifier	290046	String [20]	XXXXXX[X(14)] A logical combination of valid alphanumeric characters that identify an entity.
-	Sex of a person	741686	String [1]	1 Male 2 Female 3 Another term 9 Not stated/inadequately described
-	Birth plurality	732874	Number [1]	1 Singleton 2 Twins 3 Triplets 4 Quadruplets 5 Quintuplets 6 Sextuplets 8 Other 9 Not stated/inadequately described
-	Pregnancy duration at the first antenatal care visit	732908	Number [2]	99 Not stated/unknown
-	Active resuscitation of baby indicator	732880	Boolean [1]	1 Yes 2 No 9 Not stated/inadequately described
-	Active resuscitation of baby method	732883	Number [2]	2 Suction 3 Oxygen therapy 7 Intermittent positive pressure ventilation (IPPV) 8 Continuous positive airway pressure (CPAP) ventilation 10 Intubation 11 External cardiac compressions 88 Other 99 Not stated/inadequately described
-	Apgar score at 5 minutes	733377	String [2]	00-10 Apgar score 99 Not stated/inadequately described

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
-	Birth order	733265	Number [1]	Singleton or first of a multiple birth Second of a multiple birth Third of a multiple birth Fourth of a multiple birth Fifth of a multiple birth Sixth of a multiple birth Other Not stated/inadequately described
-	Status of the baby	732895	Number [1]	1 Live birth 2 Stillbirth (fetal death) 9 Not stated/inadequately described
-	Birthweight of baby	733280	Number [4]	9999 Not stated/inadequately described
-	Gestational age	695332	Number [2]	99 Not stated/unknown
-	Additional indication for caesarean section	733446	Number [2]	1 Fetal compromise 2 Suspected fetal macrosomia 3 Malpresentation 10 Lack of progress; less than or equal to 3 cm cervical dilatation 11 Lack of progress in the first stage; greater than 3 cm to less than 10 cm cervical dilatation 12 Lack of progress in the second stage 13 Placenta praevia 14 Placental abruption 15 Vasa praevia 16 Antepartum/intrapartum haemorrhage 17 Multiple pregnancy 18 Unsuccessful attempt at assisted delivery 19 Cord prolapse 20 Previous adverse perinatal outcome 21 Previous caesarean section 22 Previous severe perineal trauma 23 Previous shoulder dystocia 29 Other obstetric, medical, surgical, psychological indications 30 Maternal choice in the absence of any obstetric, medical, surgical, psychological indications 99 Not stated/inadequately described

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
-	Additional indication for induction of labour	733456	Number [2]	1 Prolonged pregnancy 2 Prelabour rupture of membranes 3 Diabetes 4 Hypertensive disorders 5 Multiple pregnancy 6 Chorioamnionitis (includes suspected) 7 Cholestasis of pregnancy 8 Antepartum haemorrhage 9 Maternal age 10 Body Mass Index (BMI) 11 Maternal mental health indication 12 Previous adverse perinatal outcome 19 Other maternal obstetric or medical indication 20 Fetal compromise (includes suspected) 21 Fetal growth restriction (includes suspected) 22 Fetal macrosomia (includes suspected) 23 Fetal death 24 Fetal congenital anomaly 80 Administrative or geographical indication 81 Maternal choice in the absence of any obstetric, medical, fetal, administrative or geographical indication 89 Other indication not elsewhere classified 99 Not stated/inadequately described

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
-	Main indication for caesarean section	733449	Number [2]	Fetal compromise Suspected fetal macrosomia Malpresentation Lack of progress; less than or equal to 3 cm cervical dilatation Lack of progress in the first stage; greater than 3 cm to less than 10 cm cervical dilatation Lack of progress in the second stage Placenta praevia Placental abruption Vasa praevia Antepartum/intrapartum haemorrhage Multiple pregnancy Unsuccessful attempt at assisted delivery Cord prolapse Previous adverse perinatal outcome Previous caesarean section Previous severe perineal trauma Previous shoulder dystocia Other obstetric, medical, surgical, psychological indications Maternal choice in the absence of any obstetric, medical, surgical, psychological indications Not stated/inadequately described

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
-	Main indication for induction of labour	733459	Number [2]	1 Prolonged pregnancy 2 Prelabour rupture of membranes 3 Diabetes 4 Hypertensive disorders 5 Multiple pregnancy 6 Chorioamnionitis (includes suspected) 7 Cholestasis of pregnancy 8 Antepartum haemorrhage 9 Maternal age 10 Body Mass Index (BMI) 11 Maternal mental health indication 12 Previous adverse perinatal outcome 19 Other maternal obstetric or medical indication 12 Pretal compromise (includes suspected) 21 Fetal growth restriction (includes suspected) 22 Fetal macrosomia (includes suspected) 23 Fetal death 24 Fetal congenital anomaly 80 Administrative or geographical indication 81 Maternal choice in the absence of any obstetric, medical, fetal, administrative or geographical indication 89 Other indication not elsewhere classified
-	Alcohol consumption after 20 weeks of pregnancy indicator	690739	Boolean [1]	1 Yes 2 No 9 Not stated/inadequately described
-	Alcohol consumption frequency after 20 weeks of pregnancy	691060	Number [1]	0 Never 1 Monthly or less 2 2–4 times a month 3 2–3 times a week 4 4 or more times a week 9 Not stated/inadequately described
-	Alcohol consumption frequency in first 20 weeks of pregnancy	691052	Number [1]	0 Never 1 Monthly or less 2 2–4 times a month 3 2–3 times a week 4 4 or more times a week 9 Not stated/inadequately described
-	Alcohol consumption in the first 20 weeks of pregnancy indicator	690482	Boolean [1]	1 Yes 2 No 9 Not stated/inadequately described

Sec	Metadata item	METEOR	Data Type	Value & Meaning
No		identifier	[Length]	

-	Antenatal mental health screening status	733468	Number [1]	1 Yes 2 Not offered 3 Declined 9 Not stated/inadequately described
-	Primary postpartum haemorrhage blood loss	735069	Number [1]	1 500–999 mL 2 1000–1499 mL 3 1500 mL or more 9 Not stated/inadequately described
-	Indication of depressive symptoms at an antenatal visit	704384	Number [2]	0 - 30 A number representing a score on the Edinburgh Postnatal Depression Scale 98 Unknown 99 Not stated/inadequately described
-	Influenza vaccination during pregnancy indicator	721270	Boolean [1]	1 Yes 2 No 9 Not stated/inadequately described
-	Maternity model of care at onset of labour or non-labour caesarean section	733527	Number [6]	NNNNNN A combination of numeric characters that identify an entity.
-	Number of standard drinks consumed when drinking alcohol after 20 weeks of pregnancy	691039	Number [3]	998 Occasional drinking (less than one) 999 Not stated/inadequately described
-	Number of standard drinks consumed when drinking alcohol in the first 20 weeks of pregnancy	690993	Number [3]	998 Occasional drinking (less than one) 999 Not stated/inadequately described
-	Pertussis vaccination during pregnancy indicator	721261	Boolean [1]	1 Yes 2 No 9 Not stated/inadequately described
-	Primary maternity model of care	733531	Number [6]	NNNNNN A combination of numeric characters that identify an entity.
-	Primary postpartum haemorrhage indicator	673595	Boolean [1]	1 Yes 2 No 9 Not stated/inadequately described
-	Timing of influenza vaccination during pregnancy	721234	Number [1]	1 1st trimester 2 2nd trimester 3 3rd trimester 9 Not stated/inadequately described

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
-	Timing of pertussis vaccination during pregnancy	721216	Number [1]	1 1st trimester 2 2nd trimester 3 3rd trimester 9 Not stated/inadequately described
-	Diabetes mellitus type during pregnancy	759641	Number [1]	1 Pre-existing Type 1 diabetes 2 Pre-existing Type 2 diabetes 3 Gestational diabetes mellitus (GDM) 8 Other type of diabetes mellitus 9 Not stated/inadequately described
-	Diabetes therapy type during pregnancy	759643	Number [1]	1 Insulin 2 Oral hypoglycaemic 3 Diet and exercise 9 Not stated/inadequately described
-	Hypertensive disorder type during pregnancy	759646	Number [1]	1 Eclampsia 2 Preeclampsia 3 Gestational hypertension 4 Chronic hypertension 9 Not stated/inadequately described
-	Blood transfusion indicator	749949	Boolean [1]	1 Yes 2 No 9 Not stated/inadequately described
-	Family violence screening status	733542	Number [1]	1 Yes 2 Not offered 3 Declined 9 Not stated/inadequately described
-	Height (measured)	270361	Number [4]	999.9 Not measured
-	Height (self-reported)	270365	Number [3]	888 Unknown 999 Not stated/inadequately described
-	Mental health condition indicator	622450	Boolean [1]	1 Yes 2 No 9 Not stated/inadequately described
-	Weight in kilograms (measured)	702085	Number [4]	999.9 Not collected
-	Weight (self-reported)	302365	Number [3]	888 Unknown 999 Not stated
-	Baby head circumference	733429	Number [4]	999.9 Not measured