

Acute Anaphylaxis Clinical Care Standard: 01- Evidence of a locally approved anaphylaxis pathway

Identifying and definitional attributes

Metadata item type:	Indicator
Indicator type:	Indicator
Short name:	1-Evidence of a locally approved anaphylaxis pathway
METEOR identifier:	745147
Registration status:	<ul style="list-style-type: none">• Australian Commission on Safety and Quality in Health Care, Standard 24/11/2021
Description:	Evidence of a locally approved anaphylaxis pathway.
Indicator set:	Clinical care standard indicators: Acute Anaphylaxis Australian Commission on Safety and Quality in Health Care , Standard 24/11/2021

Collection and usage attributes

Computation description:	Evidence of a locally approved anaphylaxis pathway. The pathway should include: <ul style="list-style-type: none">• An assessment protocol that outlines the clinical criteria to support prompt diagnosis of anaphylaxis• Systems to ensure patients experiencing allergic reactions are monitored appropriately for possible progression of symptoms to anaphylaxis• A process to ensure clinicians are competent in the anaphylaxis pathway, and• A process to assess adherence to the pathway.
Computation:	Yes/No A healthcare setting that has documented evidence of a locally approved anaphylaxis pathway that is implemented should record 'Yes.' Otherwise, the healthcare setting should record 'No.'

Representational attributes

Representation class:	Count
Data type:	Real
Unit of measure:	Service event
Format:	Yes/No

Source and reference attributes

Reference documents:	Australian Commission on Safety and Quality in Health Care 2021. Acute Anaphylaxis clinical care standard. Australian Commission on Safety and Quality in Health Care, Sydney.
-----------------------------	--