

Acute Anaphylaxis Clinical Care Standard: 01- Evidence of a locally approved anaphylaxis pathway

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Acute Anaphylaxis Clinical Care Standard: 01- Evidence of a locally approved anaphylaxis pathway

Identifying and definitional attributes

Metadata item type:	Indicator
Indicator type:	Indicator
Short name:	1-Evidence of a locally approved anaphylaxis pathway
METEOR identifier:	745147
Registration status:	Australian Commission on Safety and Quality in Health Care , Standard 24/11/2021
Description:	Evidence of a locally approved anaphylaxis pathway.
Indicator set:	Clinical care standard indicators: Acute Anaphylaxis Australian Commission on Safety and Quality in Health Care , Standard 24/11/2021

Collection and usage attributes

Computation description:	Evidence of a locally approved anaphylaxis pathway. The pathway should include: <ul style="list-style-type: none">• An assessment protocol that outlines the clinical criteria to support prompt diagnosis of anaphylaxis• Systems to ensure patients experiencing allergic reactions are monitored appropriately for possible progression of symptoms to anaphylaxis• A process to ensure clinicians are competent in the anaphylaxis pathway, and• A process to assess adherence to the pathway.
Computation:	Yes/No A healthcare setting that has documented evidence of a locally approved anaphylaxis pathway that is implemented should record 'Yes.' Otherwise, the healthcare setting should record 'No.'

Representational attributes

Representation class:	Count
Data type:	Real
Unit of measure:	Service event
Format:	Yes/No

Source and reference attributes

Submitting organisation:	Australian Commission on Safety and Quality in Health Care
Reference documents:	Australian Commission on Safety and Quality in Health Care 2021. Acute Anaphylaxis clinical care standard. Australian Commission on Safety and Quality in Health Care, Sydney.