Acute Anaphylaxis Clinical Care Standard: 6b-Proportion of patients treated for anaphylaxis separated from hospital with a completed ASCIA Action Plan for Anaphylaxis or ASCIA Action Plan for Drug (Medication) Allergy.

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AlHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Acute Anaphylaxis Clinical Care Standard: 6b-Proportion of patients treated for anaphylaxis separated from hospital with a completed ASCIA Action Plan for Anaphylaxis or ASCIA Action Plan for Drug (Medication) Allergy.

Identifying and definitional attributes

Metadata item type: Indicator Indicator type: Indicator

Short name: 6b-Proportion of patients treated for anaphylaxis separated from hospital with a

completed ASCIA Action Plan for Anaphylaxis or ASCIA Action Plan for Drug

(Medication) Allergy.

METEOR identifier: 745155

Registration status: Australian Commission on Safety and Quality in Health Care, Standard 24/11/2021

Description: Proportion of patients treated for anaphylaxis separated from hospital with a

completed ASCIA Action Plan for Anaphylaxisor ASCIA Action Plan for Drug

(Medication) Allergy.

Indicator set: Clinical care standard indicators: Acute Anaphylaxis

Australian Commission on Safety and Quality in Health Care, Standard

24/11/2021

Collection and usage attributes

Population group age

from:

All ages

Computation description:

For the numerator and denominator separations involving patients with anaphylaxis in hospital settings can be identified using the ICD codes specified in Table A.

Table A: ICD-10-AM 11th edition codes for anaphylaxis

Code	Description
T78.0	Anaphylaxis and anaphylactic shock due to adverse food reaction
T78.2	Anaphylaxis and anaphylactic shock, unspecified
T80.5	Anaphylaxis and anaphylactic shock due to serum
T88.6	Anaphylaxis and anaphylactic shock due to adverse effect of correct drug or medicament properly administered

Presented as a percentage.

Computation: (Numerator ÷ Denominator) x 100

Numerator: The number of patients treated for anaphylaxis separated from hospital with a

completed ASCIA Action Plan for Anaphylaxis or ASCIA Action Plan for Drug

(Medication) Allergy.

Denominator: The number of patients treated for anaphylaxis separated from hospital.

Representational attributes

Representation class: Percentage

Data type: Real

Unit of measure: Person
Format: N[NN]

Accountability attributes

Other issues caveats: Applicable settings: public and private hospitals.

Source and reference attributes

Submitting organisation: Australian Commission on Safety and Quality in Health Care

Reference documents: Australian Commission on Safety and Quality in Health Care 2021. Acute

Anaphylaxis clinical care standard. Australian Commission on Safety and Quality in

Health Care, Sydney.