National Core Maternity Indicators: PI 10–Small babies among births at or after 40 weeks gestation, 2021

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY4.0 (CC BY4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

National Core Maternity Indicators: PI 10–Small babies among births at or after 40 weeks gestation, 2021

Identifying and definitional attributes

Metadata item type:	Indicator
Indicator type:	Indicator
Common name:	Small babies among births at or after 40 weeks gestation
Short name:	PI 10–Small babies among births at or after 40 weeks gestation, 2021
METEOR identifier:	748049
Registration status:	Health, Superseded 09/09/2022
Description:	The proportion of babies born at or after 40 weeks gestation who weighed less than 2,750 grams at birth.
Rationale:	This indicator aims to identify intrauterine growth restriction for babies born at or after 40 weeks gestation. This indicator is used to benchmark practice.
Indicator set:	National Core Maternity Indicators, 2021 Health, Superseded 09/09/2022

Collection and usage attributes

Computation description:	The number of babies born at or after 40 weeks gestation who weighed less than 2,750 grams at birth, divided by the number of babies born at or after 40 weeks gestation, and multiplied by 100.
	A birth is defined as the complete expulsion or extraction from a female, of a product of conception of 20 or more completed weeks of gestation or of 400 grams or more birthweight.
	Births included are those for babies born at or after 40 weeks gestation. This includes stillborn babies and babies from a multiple birth.
	Births excluded are those for babies born before 40 completed weeks gestational age, that is before 40 weeks and 0 (zero) days.
	Gestational age is reported as completed weeks.
Computation:	100 × (Numerator ÷ Denominator)
Numerator:	The number of babies born at or after 40 weeks gestation who weighed less than 2,750 grams at birth.

Numerator data elements:	Data Element / Data Set
Numerator data elemento.	
	Product of birth—birthweight, total grams N[NNN]
	Data Source
	Perinatal National Minimum Data Set (NMDS)
	NMDS / DSS
	Perinatal NMDS 2019–20
	Guide for use
	Data source type: Administrative by-product data
	Data Element / Data Set
	Product of conception—gestational age, total completed weeks N[N]
	Data Source
	Perinatal National Minimum Data Set (NMDS)
	NMDS / DSS
	Perinatal NMDS 2019–20
	Guide for use
	Data source type: Administrative by-product data
Denominator:	The number of babies born at or after 40 weeks gestation.
Denominator data	Data Element / Data Set
elements:	Product of conception—gestational age, total completed weeks N[N]
	Data Source
	Perinatal National Minimum Data Set (NMDS)
	NMDS / DSS
	Perinatal NMDS 2019–20
	Guide for use
	Data source type: Administrative by-product data
Disaggregation:	 Year of birth State or territory of birth Mother's age at birth Hospital annual number of births Hospital sector Mother's smoking status during pregnancy
	 Remoteness category (from mother's area of usual residence)
	Disadvantage quintile (from mother's area of usual residence)Mother's country of birth
	Indigenous status of motherSex of baby
	 Primary Health Network (from mother's area of usual residence) Statistical local area 3 (from mother's area of usual residence)
Disaggregation data	Data Element / Data Set
elements:	Data Element
	Hospital annual number of births
	1

Data Source

AlHW National Perinatal Data Collection (NPDC)

Guide for use

Data source type: Administrative by-product data

-Data Element / Data Set

Data Element

Hospital sector

Data Source

AIHW National Perinatal Data Collection (NPDC)

Guide for use

Data source type: Administrative by-product data

- Data Element / Data Set

Data Element

Smoking status during pregnancy

Data Source

AIHW National Perinatal Data Collection (NPDC)

Guide for use

Data source type: Administrative by-product data

- Data Element / Data Set-

Person-date of birth, DDMMYYYY

Data Source

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2019–20

Guide for use

Data source type: Administrative by-product data

- Data Element / Data Set-

Person-Indigenous status, code N

Data Source

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2019-20

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set-

Person—sex, code X

Data Source

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2019-20

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set-

Person—country of birth, code (SACC 2016) NNNN

Data Source

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2019-20

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set

Person-area of usual residence, statistical area level 2 (SA2) code (ASGS 2016) N(9)

Data Source

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2019–20

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set

Birth event-state/territory of birth, code N

Data Source

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2019–20

Guide for use

Data source type: Administrative by-product data

Comments:

Data elements are from the Perinatal National Minimum Data Set (NMDS) or have been provided as voluntary non-standardised items by the states and territories. Records with a permissible value have been included in the denominator.

Modified from Australian Council on Healthcare Standards (ACHS) Indicator 8.1: Babies with severe intrauterine growth restriction. This ACHS indicator is based on the definition by Women's Healthcare Australasia Core Maternity Indicators Project (WHA 2007).

Representational attributes

Representation class:	Percentage
Data type:	Real
Unit of measure:	Person
Format:	N[NN.N]

Data source attributes

-Data Source

Perinatal National Minimum Data Set (NMDS)

Frequency

Annual

Data custodian

Australian Institute of Health and Welfare

Data Source

AIHW National Perinatal Data Collection (NPDC)

Frequency

Calendar years ending 31 December each year

Data custodian

Australian Institute of Health and Welfare

Accountability attributes

Reporting requirements:	N/A
Organisation responsible for providing data:	Australian Institute of Health and Welfare
Accountability:	Australian Institute of Health and Welfare

Source and reference attributes

 Submitting organisation:
 Australian Institute of Health and Welfare

 Reference documents:
 ACHS (The Australian Council on Healthcare Standards) 2020. The Australasian Clinical Indicator Report: 2012-2019. 21st edn. Sydney: ACHS. Viewed 11 November 2021, https://www.achs.org.au/our-services/pos/previous-acir-publications.

 WHA (Women's Healthcare Australasia) 2007. Supporting excellence in maternity care: the core maternity indicators project: findings from the core maternity indicators project. Canberra: WHA.

Relational attributes

Related metadata references:	Supersedes <u>National Core Maternity Indicators: PI 10–Small babies among births</u> at or after 40 weeks gestation, 2020 <u>Health</u> , Superseded 17/12/2021
	Has been superseded by <u>National Core Maternity Indicators: PI 10–Small babies</u> among births at or after 40 weeks gestation, 2022 Health, Superseded 14/07/2023