Low Back Pain Clinical Care Standard: 2a-Evidence of a locally approved policy to guide assessment of psychosocial factors early in each new presentation



© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY4.0 (CC BY4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Low Back Pain Clinical Care Standard: 2a-Evidence of a locally approved policy to guide assessment of psychosocial factors early in each new presentation

Identifying and definitional attributes

Metadata item type: Indicator Indicator type: Indicator

Short name: 2a-Evidence of a locally approved policy to ensure that patients are screened for

psychosocial factors early in each new presentation

METEOR identifier: 759556

Registration status: Australian Commission on Safety and Quality in Health Care, Standard 01/09/2022

Description: Evidence of a locally approved policy to ensure that patients are screened for

psychosocial factors early in each new presentation.

Indicator set: Clinical care standard indicators: Low back pain

Australian Commission on Safety and Quality in Health Care, Standard

01/09/2022

Collection and usage attributes

Computation description: The policy should specify the:

 Process to ensure that clinicians are trained in biopsychosocial pain management and identification of psychosocial factors associated with delayed recovery

 Locally endorsed risk assessment tools available to support clinicians to complete early psychosocial assessment

 Referral pathways to appropriate clinicians with experience in pain management, and psychological and/or physical therapies

· Process to assess adherence to the policy.

Computation: Yes/No

A healthcare setting that has documented evidence of a locally approved policy that is implemented should record 'Yes.' Otherwise, the healthcare setting should

record 'No.'

Representational attributes

Representation class: Count

Data type: Real

Unit of measure: Service event

Format: Yes/No

Accountability attributes

Reporting requirements: Not applicable

Organisation responsible Not applicable

for providing data:

Accountability: These indicators are for local quality improvement. Monitoring the implementation

of the Low Back Pain Clinical Care Standard (ACSQHC, 2022) will assist in meeting some of the requirements of the National Safety and Quality Health

Service Standards (ACSQHC, 2021).

Other issues caveats: Applicable settings: Public and private hospital emergency departments and

primary care settings where care is provided to patients with low back pain

(including general practice).

Release date: 01/09/2022

Source and reference attributes

Submitting organisation: Australian Commission on Safety and Quality in Health Care

Reference documents: Australian Commission on Safety and Quality in Health Care. Low Back Pain

Clinical Care Standard. Sydney: ACSQHC; 2022