

Stillbirth Clinical Care Standard: 3a-Proportion of pregnant women who reported smoking who were provided with advice on smoking cessation, offered a referral to a smoking cessation service, and/or nicotine replacement therapy if clinically indicated

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Stillbirth Clinical Care Standard: 3a-Proportion of pregnant women who reported smoking who were provided with advice on smoking cessation, offered a referral to a smoking cessation service, and/or nicotine replacement therapy if clinically indicated

Identifying and definitional attributes

Metadata item type:	Indicator
Indicator type:	Indicator
Short name:	3a- Proportion of pregnant women who reported smoking who were provided with advice on smoking cessation, offered a referral to a smoking cessation service, and/or nicotine replacement therapy if clinically indicated
METEOR identifier:	766646
Registration status:	Australian Commission on Safety and Quality in Health Care, Standard 04/11/2022
Description:	Proportion of pregnant women who reported smoking who were provided with advice on smoking cessation, offered a referral to a smoking cessation service, and/or nicotine replacement therapy if clinically indicated.
Indicator set:	Stillbirth Clinical Care Standard Australian Commission on Safety and Quality in Health Care, Standard 04/11/2022

Collection and usage attributes

Computation description:	<p>To be included in the numerator there must be documentation that the pregnant woman who reported smoking was:</p> <ul style="list-style-type: none">• Provided with advice on smoking cessation• Offered a referral to a smoking cessation service, and/or• Offered nicotine replacement therapy (if clinically indicated). <p>Presented as a percentage.</p> <p>Smoking refers to the use of cigarettes or inhaled tobacco.</p>
Computation:	$(\text{Numerator} \div \text{Denominator}) \times 100$
Numerator:	Number of women in the denominator with documentation in their medical record confirming they were provided advice on smoking cessation, offered a referral to a smoking cessation service, and/or nicotine replacement therapy if clinically indicated.
Denominator:	The number of women who reported smoking anytime during pregnancy
Comments:	<p>Advice on the importance of smoking cessation, referral to cessation support and arranging nicotine replacement therapy should occur as early as possible in pregnancy, preferably at the first visit with a healthcare provider where pregnancy is discussed or confirmed.</p> <p>This indicator is based on indicators from the Safer Baby Bundle. Further details about the Safer Baby Bundle can be found at https://stillbirthcare.org.au/wp-content/uploads/2021/03/SBB-Handbook_Final-1.pdf</p>

Representational attributes

Representation class:	Percentage
------------------------------	------------

Data type: Real
Unit of measure: Service event
Format: N[NN]

Accountability attributes

Reporting requirements: These indicators are for local quality improvement. Monitoring the implementation of the Stillbirth Clinical Care Standard (ACSQHC, 2022) will assist in meeting some of the requirements of the National Safety and Quality Health Service Standards (ACSQHC, 2021).

Organisation responsible for providing data: Not applicable

Accountability: Not applicable

Other issues caveats: Applicable settings: Primary care settings and hospitals where maternity care is provided.

Release date: 05/11/2022

Source and reference attributes

Submitting organisation: Australian Commission on Safety and Quality in Health Care

Reference documents: Australian Commission on Safety and Quality in Health Care. Stillbirth Clinical Care Standard. Sydney: ACSQHC; 2022.

Centre of Research Excellence Stillbirth. Safer Baby Bundle Handbook and Resource Guide: Working together to reduce stillbirth. Queensland: Centre of Research Excellence Stillbirth; 2019.