

# Prisoner health medication type dispensed cluster

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to [info@aihw.gov.au](mailto:info@aihw.gov.au).

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at [meteor@aihw.gov.au](mailto:meteor@aihw.gov.au).

# Prisoner health medication type dispensed cluster

## Identifying and definitional attributes

**Metadata item type:** Data Set Specification

**METEOR identifier:** 768986

**Registration status:** [Health, Qualified 06/07/2023](#)

**DSS type:** Data Element Cluster

**Scope:** The Prisoner health medication type dispensed cluster comprises three data elements that describe the type of medication dispensed to a person. It is based on the Repeat Medications Form.

This is achieved by the combination of the three data elements: [Person—medication type, medication type \(ATC/DDD\) code A\[NN\]AA\[NN\]](#), [Person—medication type, text \[X\(40\)\]](#) and [Person—reason medication dispensed, prisoner health code N](#).

The cluster describes the following information recorded for a person, relating to the type of medications dispensed, and the reason they were dispensed:

	Dispensed	Dispensed primarily for mental or behavioural conditions
Antidepressants/mood stabilisers (e.g., Sertraline (Zoloft), Fluoxetine (Prozac, Lovan), Paroxetine (Aropax), Citalopram (Cipramil), Amitriptyline (Endep).)		
Antipsychotics (e.g., Amisulpride (Solian), Clozapine (Clozaril, Clopine), Olanzapine (Zyprexa), Quetiapine (Seroquel), Risperidone (Risperidal), Prochlorperazine (Stemetil, Stemizine))		
Analgesics (e.g., Paracetamol (Panadol), Codeine (Panadeine), Oxycodone (OxyContin, Endone), Tramadol (Tramahexal, Zydol))		
Anti-inflammatories, anti-rheumatic agents (e.g., Ibuprofen (Nurofen), Meloxicam (Mobic), Diclofenac (Voltaren), Aspirin, Glucosamine)		
Drugs used in acid-related disorders, antimetics and anti-nauseants, laxatives, antidiarrheals (e.g., Omeprazole (Nexium, Probitor))		
Anti-hypertensives, beta blocking agents (e.g., Perindopril (Conversyl, Indopril, Perindo), Irbesartan (Avapro, Karvea, Karvezide), Atenolol (Tenormin), Ramipril (Prilace, Triasyn, Tryzan), Amlodipine (Norvasc))		
Cholesterol lowering drugs (lipid modifying agents) (e.g., Atorvastatin (Lipitor, Caduet), Simvastatin (Lipex, Zocor))		
Asthma relievers, preventers, symptom controllers (drugs for obstructed airway diseases) (e.g., Salbutamol (Ventolin, Butamol, Rotahaler), Salmeterol (Seretide, Serevent), Symbicort, Fluticasone (Beconase, Flixotide), Intal Forte, Singulair, Prednisolone)		

Drugs used in opioid dependence (e.g., Methadone, Suboxone, Naltrexone)		
Antibiotics (e.g., Amoxycillin (Amoxil, Augmentin), Cephalexin (Keflex), Roxithromycin (Rulide, Roximycin), Doxycycline (Vibramycin))		
Hepatitis, antivirals for HIV, infectious diseases (e.g., Pegasys, Stocrin, Truvada)		
Drugs used in diabetes (e.g., Metformin (Glucophage, Avandamet, Diabex, Diaformin, Formet, Glucovance))		
Vitamins and mineral supplements		
Anti-anxiety (anxiolytics) (e.g., Diazepam (Valium))		
Hypnotics and sedatives		
Anti-epileptics, anti-Parkinson drugs		
Antihistamines (e.g., Loratadine (Claratyne, Allereze), Fexofenadine (Fexal, Telfast))		
Dermatologicals (skin, including antifungals)		
Drugs used in nicotine dependence		
Drugs used in benign prostatic hypertrophy (prostate) (e.g., Flomaxtra)		
Diuretics		
Thyroid therapy		
Other (please specify)		

## Collection and usage attributes

**Collection methods:** Data is collected for medication repeats only.

## Source and reference attributes

**Submitting organisation:** Australian Institute of Health and Welfare

## Relational attributes

**Implementation in Data Set Specifications:** [Prisoners in custody prescription medications NBEDS 2022](#)  
Health, Qualified 06/07/2023

### **DSS specific information:**

This data in this cluster corresponds to the following question of the Prisoners in Custody—Repeat Medications form:

7. Medication type dispensed (repeats only)

## Metadata items in this Data Set Specification

Seq Metadata item  
No.

Obligation Max  
occurs

Seq No.	Metadata item	Obligation	Max occurs
1	<a href="#">Person—medication type, medication type (ATC/DDD) code A[NN]AA[NN]</a>	Mandatory	99
<p><b>DSS specific information:</b></p> <p>Information on medication type is included in the Prisoner Health NBEDS as the National Prisoner Health Indicators include the indicator: Proportion of prisoners in custody who received medication during the data collection period.</p> <p>The list of medications relevant to the Prisoners in custody prescription medications NBEDS includes:</p> <ul style="list-style-type: none"> <li>• Antidepressants (ATC/DDD code N06A)</li> <li>• Antipsychotics (ATC/DDD code N05A)</li> <li>• Anti-inflammatories and antirheumatic agents (ATC/DDD code M01)</li> <li>• Drugs used for acid-related disorders (ATC/DDD code A02)</li> <li>• Antiemetics and antinauseants (ATC/DDD code A04)</li> <li>• Laxatives (ATC/DDD code A06)</li> <li>• Antidiarrheals (ATC/DDD code A07)</li> <li>• Antihypertensives (ATC/DDD code C02)</li> <li>• Beta blocking agents (ATC/DDD code C07)</li> <li>• Lipid modifying agents (ATC/DDD code C10)</li> <li>• Drugs for obstructed airway diseases (ATC/DDD code R03)</li> <li>• Drugs used for opioid dependence (ATC/DDD code N07BC)</li> <li>• Antibiotics (various) (ATC/DDD code varies depending on condition being treated)</li> <li>• Hepatitis vaccine (ATC/DDD code J07BC)</li> <li>• Antivirals for HIV (ATC/DDD code J05AR)</li> <li>• Drugs used for diabetes (ATC/DDD code A10)</li> <li>• Vitamins (ATC/DDD code A11)</li> <li>• Mineral supplements (ATC/DDD code A12)</li> <li>• Anxiolytics (ATC/DDD code N05B)</li> <li>• Hypnotics and sedatives (ATC/DDD code N05C)</li> <li>• Antiepileptics (ATC/DDD code N03)</li> <li>• Anti-parkinson drugs (ATC/DDD code N04)</li> <li>• Antihistamines (ATC/DDD code R06)</li> <li>• Dermatologicals (ATC/DDD code D)</li> <li>• Drugs used for nicotine dependence (ATC/DDD code N07BA)</li> <li>• Diuretics (ATC/DDD code C03)</li> <li>• Thyroid therapy (ATC/DDD code H03)</li> <li>• Drugs used for benign prostatic hypertrophy (ATC/DDD code G04C)</li> <li>• S8 controlled opioid analgesics - Standard for the Uniform Scheduling of Medicines and Poisons Schedule 8 Controlled drugs - (not including opioid dependence) including morphine (ATC/DDD N02AA01), oxycodone (N02AA05), fentanyl (N02AB03), Norpsan patch (N02AE01), methadone for pain relief (N02AC52)</li> <li>• S4 and OTC analgesics - Standard for the Uniform Scheduling of Medicines and Poisons Schedule 4 Prescription only medicine; and Schedule 2 Pharmacy medicine including paracetamol (ATC/DDD N02BE01), codeine (N02AA59), Tramadol (N02AX02), ibuprofen (M01A)</li> </ul>			
2	<a href="#">Person—medication type, text [X(40)]</a>	Conditional	99
<p><b>Conditional obligation:</b></p> <p>Conditional on 'Other' being recorded on the Repeat Medications Form.</p>			
3	<a href="#">Person—reason medication dispensed, prisoner health code N</a>	Mandatory	99