

Person with cancer—region of first recurrence as distant metastasis, topography code (ICD-O-3.1) ANN.N

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Person with cancer—region of first recurrence as distant metastasis, topography code (ICD-O-3.1) ANN.N

Identifying and definitional attributes

| | |
|------------------------------|---|
| Metadata item type: | Data Element |
| Short name: | Region of first recurrence as distant metastasis |
| METEOR identifier: | 775181 |
| Registration status: | Health , Qualified 03/08/2023 |
| Definition: | The region of first recurrence as a distant metastasis in a person with cancer, after a disease-free period, as represented by an ICD-O-3.1 code. |
| Data Element Concept: | Person with cancer—region of first recurrence as distant metastasis |
| Value Domain: | Topography code (ICD-O-3.1) ANN.N |

Value domain attributes

Representational attributes

| | |
|----------------------------------|---|
| Classification scheme: | International Classification of Diseases for Oncology 3rd edition, 1st revision |
| Representation class: | Code |
| Data type: | String |
| Format: | ANN.N |
| Maximum character length: | 5 |

Collection and usage attributes

| | |
|-----------------------|---|
| Guide for use: | Record all four alphanumeric characters of the topography code. The number after the decimal point represents the subsite or subcategory. |
|-----------------------|---|

Source and reference attributes

| | |
|---------------------------------|---|
| Submitting organisation: | Australian Institute of Health and Welfare |
| Origin: | World Health Organization. (2013). International classification of diseases for oncology (ICD-O), 3rd ed., 1st revision. World Health Organization. https://apps.who.int/iris/handle/10665/96612 |

Data element attributes

Collection and usage attributes

| | |
|----------------------------|--|
| Guide for use: | <p>This information is collected for the site or region of first recurrence as distant metastasis.</p> <p>The term recurrence refers to the return, reappearance or metastasis of cancer of the same histology after a disease-free period.</p> <p>Distant metastasis refers to the spread of cancer of the same histology as the original (primary) tumour to distant organs or distant lymph nodes.</p> <p>Site or region refers to the anatomical location that the cancer has spread to.</p> <p>Distant metastasis may occur in more than one site; record all relevant distant metastatic sites.</p> <p>The region of locoregional recurrence is collected as a separate item.</p> <p>The record should not be updated with subsequent recurrences.</p> |
| Collection methods: | The information should be obtained from the patient's medical record. |
| Comments: | This is collected to identify in which anatomical structures recurrence occurs, and is useful for evaluating patterns of care and patient outcomes. |

Source and reference attributes

| | |
|---------------------------------|---|
| Submitting organisation: | Australian Institute of Health and Welfare |
| Origin: | Commission on Cancer, American College of Surgeons |
| Reference documents: | <p>American College of Surgeons 1998. Standards of the Commission on Cancer: Registry Operations and Data Standards (ROADS), Volume II. Commission on Cancer</p> <p>World Health Organization. (2013). International classification of diseases for oncology (ICD-O), 3rd ed., 1st revision. World Health Organization. https://apps.who.int/iris/handle/10665/96612</p> |

Relational attributes

| | |
|-------------------------------------|--|
| Related metadata references: | <p>Supersedes Person with cancer—region of first recurrence as distant metastasis, topography code (ICD-O-3) ANN.N Health, Standard 07/12/2011</p> <p>Has been superseded by Person with cancer—region of first recurrence as distant metastasis, topography code (ICD-O-3.2) ANN.N Health, Qualified 03/08/2023</p> <p>See also Patient—diagnosis date of first recurrence as distant metastasis, DDMMYYYY Health, Standard 07/12/2011</p> <p>See also Patient—diagnosis date of first recurrence as locoregional cancer, DDMMYYYY Health, Standard 07/12/2011</p> <p>See also Person with cancer—most valid basis of diagnosis of the first recurrence, code N Health, Standard 07/12/2011</p> <p>See also Person with cancer—region of first recurrence as locoregional cancer, topography code (ICD-O-3) ANN.N Health, Standard 07/12/2011</p> <p>See also Person with cancer—region of first recurrence as locoregional cancer, topography code (ICD-O-3.1) ANN.N Health, Qualified 03/08/2023</p> <p>See also Person with cancer—region of first recurrence as locoregional cancer, topography code (ICD-O-3.2) ANN.N Health, Qualified 03/08/2023</p> |
|-------------------------------------|--|