

# **Hip Fracture Clinical Care Standard: 2a-Proportion of patients with a hip fracture who either received analgesia within 30 minutes of presentation or did not require it according to an assessment of their pain**

**Exported from METEOR (AIHW's Metadata Online Registry)**

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to [info@aihw.gov.au](mailto:info@aihw.gov.au).

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at [meteor@aihw.gov.au](mailto:meteor@aihw.gov.au).

# Hip Fracture Clinical Care Standard: 2a-Proportion of patients with a hip fracture who either received analgesia within 30 minutes of presentation or did not require it according to an assessment of their pain

## Identifying and definitional attributes

<b>Metadata item type:</b>	Indicator
<b>Indicator type:</b>	Indicator
<b>Short name:</b>	2a-Proportion of patients with a hip fracture who either received analgesia within 30 minutes of presentation or did not require it according to an assessment of their pain
<b>METEOR identifier:</b>	780825
<b>Registration status:</b>	<a href="#">Australian Commission on Safety and Quality in Health Care, Standard 10/09/2023</a>
<b>Description:</b>	Proportion of patients with a hip fracture who either received analgesia within 30 minutes of presentation or did not require it according to an assessment of their pain.
<b>Indicator set:</b>	<a href="#">Hip Fracture Clinical Care Standard 2023</a> <a href="#">Australian Commission on Safety and Quality in Health Care, Standard 10/09/2023</a>

## Collection and usage attributes

<b>Population group age from:</b>	50 years or older
<b>Computation description:</b>	To be included in the numerator, patients must have a documented outcome of a pain assessment in their medical record AND either: <ul style="list-style-type: none"><li>• Received analgesia within 30 minutes of presenting to hospital, OR</li><li>• They did not require analgesia according to their pain assessment.</li></ul> Presented as a percentage.
<b>Computation:</b>	$(\text{Numerator} \div \text{denominator}) \times 100$
<b>Numerator:</b>	Number of patients with a hip fracture who received analgesia within 30 minutes of presentation to hospital or did not require it according to an assessment of their pain.
<b>Denominator:</b>	Number of patients with a hip fracture who presented to hospital.

## Representational attributes

<b>Representation class:</b>	Percentage
<b>Data type:</b>	Real
<b>Unit of measure:</b>	Service event
<b>Format:</b>	N[NN]

## Accountability attributes

<b>Reporting requirements:</b>	Hip Fracture Clinical Care Standard 2023
<b>Organisation responsible for providing data:</b>	Health service organisations
<b>Accountability:</b>	Health service organisations

## Source and reference attributes

**Submitting organisation:** Australian Commission on Safety and Quality in Health Care

**Reference documents:** Australian Commission on Safety and Quality in Health Care. Hip Fracture Clinical Care Standard. Sydney: ACSQHC; 2023.

## Relational attributes

**Related metadata references:** Supersedes [Hip fracture care clinical care standard indicators: 2b-Proportion of hip fracture patients who have documented pain assessment within 30 minutes of emergency department presentation and either receive analgesia within this time or do not require it](#)  
[Health](#), Standard 12/09/2016