

Hip Fracture Clinical Care Standard: 2c-Proportion of patients with a hip fracture who were transferred from another hospital for treatment who received a nerve block prior to transfer

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Hip Fracture Clinical Care Standard: 2c-Proportion of patients with a hip fracture who were transferred from another hospital for treatment who received a nerve block prior to transfer

Identifying and definitional attributes

Metadata item type:	Indicator
Indicator type:	Indicator
Short name:	Indicator 2c-Proportion of patients with a hip fracture who were transferred from another hospital for treatment who received a nerve block prior to transfer
METEOR identifier:	780840
Registration status:	Australian Commission on Safety and Quality in Health Care, Standard 10/09/2023
Description:	Proportion of patients with a hip fracture who were transferred from another hospital for treatment who received a nerve block prior to transfer.
Indicator set:	Hip Fracture Clinical Care Standard 2023 Australian Commission on Safety and Quality in Health Care, Standard 10/09/2023

Collection and usage attributes

Population group age from:	50 years or older
Computation description:	To be included in the numerator, patients with a hip fracture must have: <ul style="list-style-type: none">• Been transferred from another hospital for treatment, and• Received a nerve block prior to transfer. <p>Presented as a percentage.</p>
Computation:	$(\text{Numerator} \div \text{Denominator}) \times 100$
Numerator:	Number of transferred patients with a hip fracture who received a nerve block prior to transfer.
Denominator:	Number of transferred patients with a hip fracture admitted to the hospital.
Comments:	Applicable settings: Acute hospitals receiving transferred patients with a hip fracture.

Representational attributes

Representation class:	Percentage
Data type:	Real
Unit of measure:	Service event
Format:	N[NN]

Accountability attributes

Reporting requirements:	Hip Fracture Clinical Care Standard 2023
Organisation responsible for providing data:	Health Service Organisations
Accountability:	Health Service Organisations

Source and reference attributes

Submitting organisation: Australian Commission on Safety and Quality in Health Care

Reference documents: Australian Commission on Safety and Quality in Health Care. Hip Fracture Clinical Care Standard. Sydney: ACSQHC; 2023.