

# **Hip Fracture Clinical Care Standard: 5a-Proportion of admitted patients with a hip fracture who were mobilised the day of, or the day after, their hip fracture surgery**

**Exported from METEOR (AIHW's Metadata Online Registry)**

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to [info@aihw.gov.au](mailto:info@aihw.gov.au).

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at [meteor@aihw.gov.au](mailto:meteor@aihw.gov.au).

# Hip Fracture Clinical Care Standard: 5a-Proportion of admitted patients with a hip fracture who were mobilised the day of, or the day after, their hip fracture surgery

## Identifying and definitional attributes

<b>Metadata item type:</b>	Indicator
<b>Indicator type:</b>	Indicator
<b>Short name:</b>	5a-Proportion of admitted patients with a hip fracture who were mobilised the day of, or the day after, their hip fracture surgery
<b>METEOR identifier:</b>	780923
<b>Registration status:</b>	<a href="#">Australian Commission on Safety and Quality in Health Care, Standard 10/09/2023</a>
<b>Description:</b>	Proportion of admitted patients with a hip fracture who were mobilised the day of, or the day after, their hip fracture surgery.
<b>Rationale:</b>	
<b>Indicator set:</b>	<a href="#">Hip Fracture Clinical Care Standard 2023</a> <a href="#">Australian Commission on Safety and Quality in Health Care, Standard 10/09/2023</a>

## Collection and usage attributes

<b>Population group age from:</b>	50 years of older
<b>Computation description:</b>	<p>For the numerator, 'mobilised' means that the patient managed to stand and step transfer out of bed onto a chair or commode, or walk.</p> <p>Exclude patients who only sat over the edge of the bed or stood up but did not take a step.</p> <p>Both the numerator and the denominator exclude patients where <a href="#">Episode of admitted patient care—separation mode, code N</a> = 8 Died, and the date of death was the date of the hip fracture surgery or the day following the surgery.</p> <p>Presented as a percentage.</p>
<b>Computation:</b>	$(\text{Numerator} \div \text{denominator}) \times 100$
<b>Numerator:</b>	Number of patients admitted with a hip fracture who were mobilised the day of, or the day after, their hip fracture surgery.
<b>Denominator:</b>	Number of patients admitted with a hip fracture who had hip fracture surgery.

## Representational attributes

<b>Representation class:</b>	Percentage
<b>Data type:</b>	Real
<b>Unit of measure:</b>	Service event
<b>Format:</b>	N[NN]

## Accountability attributes

<b>Reporting requirements:</b>	Hip Fracture Clinical Care Standard 2023
<b>Organisation responsible for providing data:</b>	Health Service Organisations

**Accountability:** Health Service Organisations

## Source and reference attributes

**Submitting organisation:** Australian Commission on Safety and Quality in Health Care

**Reference documents:** Australian Commission on Safety and Quality in Health Care. Hip Fracture Clinical Care Standard. Sydney: ACSQHC; 2023.

## Relational attributes

**Related metadata references:** Supersedes [Hip fracture care clinical care standard indicators: 5a-Proportion of patients with a hip fracture who are mobilised on day one post hip fracture surgery](#)  
[Health](#), Standard 12/09/2016