Hip Fracture Clinical Care Standard: 5a-Proportion of admitted patients with a hip fracture who were mobilised the day of, or the day after, their hip fracture surgery



© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AlHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Hip Fracture Clinical Care Standard: 5a-Proportion of admitted patients with a hip fracture who were mobilised the day of, or the day after, their hip fracture surgery

Identifying and definitional attributes

Metadata item type: Indicator Indicator type: Indicator

Short name: 5a-Proportion of admitted patients with a hip fracture who were mobilised the day

of, or the day after, their hip fracture surgery

METEOR identifier: 780923

Registration status: Australian Commission on Safety and Quality in Health Care, Standard 10/09/2023

Description: Proportion of admitted patients with a hip fracture who were mobilised the day of,

or the day after, their hip fracture surgery.

Rationale:

Indicator set: Hip Fracture Clinical Care Standard 2023

Australian Commission on Safety and Quality in Health Care, Standard

10/09/2023

Collection and usage attributes

Population group age

from:

50 years of older

Computation description: For the numerator, 'mobilised' means that the patient managed to stand and step

transfer out of bed onto a chair or commode, or walk.

Exclude patients who only sat over the edge of the bed or stood up but did not take

a step.

Both the numerator and the denominator exclude patients where <u>Episode of</u> admitted patient care—separation mode, code N = 8 Died, and the date of death

was the date of the hip fracture surgery or the day following the surgery.

Presented as a percentage.

Computation: (Numerator ÷ denominator) x 100

Numerator: Number of patients admitted with a hip fracture who were mobilised the day of, or

the day after, their hip fracture surgery.

Denominator: Number of patients admitted with a hip fracture who had hip fracture surgery.

Representational attributes

Representation class: Percentage

Data type: Real

Unit of measure: Service event

Format: N[NN]

Accountability attributes

Reporting requirements: Hip Fracture Clinical Care Standard 2023

Organisation responsible

for providing data:

Health Service Organisations

Accountability: Health Service Organisations

Source and reference attributes

Submitting organisation: Australian Commission on Safety and Quality in Health Care

Reference documents: Australian Commission on Safety and Quality in Health Care. Hip Fracture Clinical

Care Standard. Sydney: ACSQHC; 2023.

Relational attributes

Related metadata references:

Supersedes Hip fracture care clinical care standard indicators: 5a-Proportion of patients with a hip fracture who are mobilised on day one post hip fracture surgery

Health, Standard 12/09/2016