

Hip Fracture Clinical Care Standard: 6a-Proportion of admitted patients with a hip fracture who received bone protection medicine while in hospital or a prescription prior to separation from hospital

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Hip Fracture Clinical Care Standard: 6a-Proportion of admitted patients with a hip fracture who received bone protection medicine while in hospital or a prescription prior to separation from hospital

Identifying and definitional attributes

Metadata item type:	Indicator
Indicator type:	Indicator
Short name:	6a-Proportion of admitted patients with a hip fracture who received bone protection medicine while in hospital or a prescription prior to separation from hospital
METEOR identifier:	780936
Registration status:	Australian Commission on Safety and Quality in Health Care, Standard 10/09/2023
Description:	Proportion of patients with a hip fracture who received bone protection medicine while in hospital or a prescription for bone protection medicine prior to separation from hospital.
Indicator set:	Hip Fracture Clinical Care Standard 2023 Australian Commission on Safety and Quality in Health Care, Standard 10/09/2023

Collection and usage attributes

Population group age from:	50 years or older
Computation description:	<p>For the numerator, 'bone protection medicine' includes (ANZHFR Steering Group, 2022):</p> <ul style="list-style-type: none">• Calcium and/or vitamin D only• Bisphosphonates, denosumab, romosozumab or teriparatide (with or without calcium and/or vitamin D) <p>'Calcium or vitamin D' includes Calcitriol, calcium and vitamin D or Alpha-calcidol (or one alpha).</p> <p>'Bisphosphonates' includes: Etidronate, Alendronate, Risedronate, Ibandronate, Zoledronate, Pamidronate.</p> <p>Both the numerator and the denominator exclude episodes where Episode of admitted patient care—separation mode, code N=8 Died.</p> <p>Presented as a percentage.</p>
Computation:	$(\text{Numerator} \div \text{denominator}) \times 100$
Numerator:	Number of admitted patients with a hip fracture who received bone protection medicine while in hospital or a prescription for bone protection medicine prior to separation from hospital.
Denominator:	Number of admitted patients with a hip fracture.

Representational attributes

Representation class:	Percentage
Data type:	Real
Unit of measure:	Service event
Format:	N[NN]

Accountability attributes

Reporting requirements: Hip Fracture Clinical Care Standard 2023

Organisation responsible for providing data: Health Service Organisations

Accountability: Health Service Organisations

Release date: 19/06/2015

Source and reference attributes

Submitting organisation: Australian Commission on Safety and Quality in Health Care

Reference documents: Australian Commission on Safety and Quality in Health Care. Hip Fracture Clinical Care Standard. Sydney: ACSQHC; 2023.

Australian and New Zealand Hip Fracture Registry. Data Dictionary Version 15. ANZHFR; 2022.

Relational attributes

Related metadata references: Supersedes [Hip fracture care clinical care standard indicators: 6a-Proportion of patients with a hip fracture receiving bone protection medicine prior to separation from the hospital at which they underwent surgery](#)
[Health](#), Standard 12/09/2016