

### © Australian Institute of Health and Welfare 2024

This product, excluding the AlHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AlHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

## Person—glycated haemoglobin level, code N

## Identifying and definitional attributes

Metadata item type: Data Element

Short name: Glycated haemoglobin level

Synonymous names: HbA1c level
METEOR identifier: 785962

**Registration status:** Indigenous, Standard 18/12/2023

**Definition:** A person's glycated haemoglobin (HbA1c) level, as represented by a code.

 Data Element Concept:
 Person—glycated haemoglobin level

 Value Domain:
 Glycated haemoglobin level code N

### Value domain attributes

## Representational attributes

Representation class: Code Data type: Number Format: Maximum character length: 1 Value Meaning Permissible values: Less than or equal to 7% (less than or equal to 53 1 mmol/mol) 2 Greater than 7% but less than or equal to 8% (greater than 53 mmol/mol but less than or equal to 64 mmol/mol) 3 Greater than 8% but less than 10% (greater than 64 mmol/mol but less than 86 mmol/mol)

mmol/mol)

#### Source and reference attributes

**Submitting organisation:** Australian Institute of Health and Welfare

### Data element attributes

## Collection and usage attributes

**Guide for use:** Prior to 2013, glycated haemoglobin levels were usually recorded as a percentage

in Australia. However, the International HbA1c Consensus Committee recommends that the best way to record glycated haemoglobin levels is in mmol/mol. This recommendation was supported by the Australasian Association of Clinical Biochemists, the Royal College of Pathologists of Australasia, the Australian Diabetes Educators Association, and the Australian Diabetes Society. Following this, HbA1c results are now being recorded in two ways in clinical systems; as a

Greater than or equal to 10% (greater than or equal to 86

percentage and as mmol/mol.

HbA1c results should be reported for all clients, regardless of the manner in which

their HbA1c is recorded.

Comments: Glycated haemoglobin (HbA1c) is an index of average blood glucose level for the

previous 2 to 3 months and is used to monitor blood sugar control in people with

diabetes.

#### Source and reference attributes

**Submitting organisation:** Australian Institute of Health and Welfare

Relational attributes

Related metadata references:

Supersedes Person—glycosylated haemoglobin level, code N

Health, Standard 13/03/2015

Indigenous, Superseded 18/12/2023

Specifications:

Implementation in Data Set Aboriginal and Torres Strait Islander specific primary health care NBEDS

December 2023

Indigenous, Standard 25/02/2024 Implementation start date: 01/07/2023 Implementation end date: 31/12/2023

Conditional obligation:

Reporting against this data element is conditional on a person having both:

1. a 'CODE 02 Type 2 diabetes' response to 'Person—diabetes mellitus status, code NN', and

2. a 'CODE 1 Yes' response to Person—glycated haemoglobin measurement result recorded indicator, yes/no code N, where the result was recorded within the previous 6 months or within the previous 12 months, up to the census date.

#### DSS specific information:

In the ATSISPHC NBEDS 'type 2 diabetes' specifically excludes type 1 diabetes, secondary diabetes, gestational diabetes mellitus (GDM), previous GDM, impaired fasting glucose, and impaired glucose tolerance.

Data are provided to the AlHW twice, for glycated haemoglobin (HbA1c) measurement results recorded within the previous 6 months and within the previous 12 months (up to the census date.)

Data relating to only the most recently recorded result are provided to the AIHW.

Aboriginal and Torres Strait Islander specific primary health care NBEDS June 2024

Indigenous, Qualified 17/04/2024 Implementation start date: 01/01/2024 Implementation end date: 30/06/2024 Conditional obligation:

Reporting against this data element is conditional on a person having both:

- 1. a 'CODE 02 Type 2 diabetes' response to 'Person—diabetes mellitus status, code NN', and
- 2. a 'CODE 1 Yes' response to Person—glycated haemoglobin measurement result recorded indicator, yes/no code N, where the result was recorded within the previous 6 months or within the previous 12 months, up to the census date.

#### DSS specific information:

In the ATSISPHC NBEDS 'type 2 diabetes' specifically excludes type 1 diabetes, secondary diabetes, gestational diabetes mellitus (GDM), previous GDM, impaired fasting glucose, and impaired glucose tolerance.

Data are provided to the AlHW twice, for glycated haemoglobin (HbA1c) measurement results recorded within the previous 6 months and within the previous 12 months (up to the census date.)

Data relating to only the most recently recorded result are provided to the AIHW.

# Indigenous-specific primary health care NBEDS June 2023 Indigenous. Superseded 25/02/2024

Implementation start date: 01/01/2023 Implementation end date: 30/06/2023

Conditional obligation:

Reporting against this data element is conditional on a person having both:

- a 'CODE 02 Type 2 diabetes' response to 'Person—diabetes mellitus status, code NN', and
- a 'CODE 1 Yes' response to Person—glycated haemoglobin measurement result recorded indicator, yes/no code N, where the result was recorded within the previous 6 months or within the previous 12 months, up to the census date.

#### DSS specific information:

In the ISPHC NBEDS 'type 2 diabetes' specifically excludes type 1 diabetes, secondary diabetes, gestational diabetes mellitus (GDM), previous GDM, impaired fasting glucose, and impaired glucose tolerance.

Data are provided to the AIHW twice, for glycated haemoglobin (HbA1c) measurement results recorded within the previous 6 months and within the previous 12 months (up to the census date.)

Data relating to only the most recently recorded result are provided to the AIHW.

# Implementation in Indicators:

#### **Used as Numerator**

First Nations-specific primary health care: Pl06a-Number of First Nations regular clients with type 2 diabetes who have an HbA1c measurement result within a specified level, December 2023

Indigenous, Standard 25/02/2024

First Nations-specific primary health care: Pl06a-Number of First Nations regular clients with type 2 diabetes who have an HbA1c measurement result within a specified level, June 2024

Indigenous, Qualified 17/04/2024

First Nations-specific primary health care: Pl06b-Proportion of First Nations regular clients with type 2 diabetes who have an HbA1c measurement result within a specified level, December 2023

Indigenous, Standard 25/02/2024

<u>First Nations-specific primary health care: Pl06b-Proportion of First Nations regular clients with type 2 diabetes who have an HbA1c measurement result within a specified level, June 2024</u>

Indigenous, Qualified 17/04/2024

Indigenous-specific primary health care: Pl06a-Number of Indigenous regular clients with type 2 diabetes who have an HbA1c measurement result within a specified level, June 2023

Indigenous, Superseded 25/02/2024

Indigenous-specific primary health care: PI06b-Proportion of Indigenous regular clients with type 2 diabetes who have an HbA1c measurement result within a specified level, June 2023

Indigenous, Superseded 25/02/2024