

Pregnancy—assisted reproductive technology indicator, yes/no code N

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Pregnancy—assisted reproductive technology indicator, yes/no code N

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Assisted reproductive technology pregnancy
METEOR identifier:	786043
Registration status:	Tasmanian Health , Standard 14/11/2023
Definition:	An indicator of whether a pregnancy was the result of assisted reproduction technology, as represented by a code.
Data Element Concept:	Pregnancy—assisted reproductive technology indicator
Value Domain:	Yes/no code N

Value domain attributes

Representational attributes

Representation class:	Code	
Data type:	Boolean	
Format:	N	
Maximum character length:	1	
	Value	Meaning
Permissible values:	1	Yes
	2	No

Source and reference attributes

Submitting organisation:	Australian Institute of Health and Welfare
---------------------------------	--

Data element attributes

Collection and usage attributes

Guide for use:	CODE 1 Yes
	Assisted reproductive technology was used.
	CODE 2 No
	Assisted reproductive technology was not used.

Source and reference attributes

Submitting organisation:	Tasmanian Health
---------------------------------	------------------

Relational attributes

Implementation in Data Set Specifications: [Mother data elements \(TDLU\) cluster](#)
[Tasmanian Health](#), Standard 17/11/2023
Implementation start date: 01/07/2023
Implementation end date: 30/06/2025

[Tasmanian Perinatal Data Set - 2023](#)
[Tasmanian Health](#), Standard 23/11/2023
Implementation start date: 01/07/2023
Implementation end date: 30/06/2024