Congenital anomalies cluster

Exported from METEOR (AIHW's Metadata Online Registry)

Congenital anomalies cluster

Identifying and definitional attributes

Metadata item type:	Data Set Specification
METEOR identifier:	794614
Registration status:	Health, Recorded 17/07/2024
DSS type:	Data Element Cluster
Scope:	The Congenital anomalies cluster defines the data elements which are to be used together to collect information on **congenital anomalies** present at birth (both **live births** and **stillbirths**), and on those related to **terminations of pregnancy** that are terminated due to a congenital anomaly.
	Data elements in the Congenital anomalies cluster are recorded only for the baby (product of conception) with a congenital anomaly. A baby may have multiple congenital anomalies, diagnosed at different times. This cluster should be recorded for each congenital anomaly.

Source and reference attributes

Submitting organisation: Australian Institute of Health and Welfare

Relational attributes

Implementation in Data Set Specifications: National congenital anomalies NBEDS 2016–Health, Recorded 17/07/2024
Implementation start date: 01/01/2016

Metadata items in this Data Set Specification

Seq No.	Metadata item	Obligation	Max occurs
-	Classification system—edition, number code N[N]{.N}	Mandatory	1

DSS specific information:

In the Congenital anomalies cluster this data element is used to record the edition number of the International Statistical Classification of Diseases and Related Health Problems, Tenth Revision, Australian Modification (ICD-10-AM) used to classify (code) the congenital anomaly the baby (product of conception) has as reported in data element Person—congenital anomaly, code (ICD-10-AM) ANN{.N[N]}.

Seq No.	Metadata item	Obligation	Max occurs
-	Diagnosis—identifier, N[N]	Mandatory	1

DSS specific information:

In the Congenital anomalies cluster this data element is used to identify a specific congenital anomaly the baby (product of conception) has. A baby may have multiple congenital anomalies.

Seq No.	Metadata item	Obligation	Max occurs
-	Diagnosis—timing of diagnosis, congenital anomaly code N	Mandatory	1

Seq No.	Metadata item	Obligation	Max occurs
-	[Person—congenital anomaly, diagnosis code (BPA 1979) ANN.N[N]](#)	Conditional	1

Conditional obligation:

This data element is collected on a Conditional basis with the data elements [Person—congenital anomaly, diagnosis code (ICD-10-AM) ANN{.N[N]}](#) and [Person—congenital anomaly, text X[X(49)]](#). Data must be reported for at least one of these data elements. However, [Person—congenital anomaly, diagnosis code (ICD-10-AM) ANN{.N[N]}](#) is the preferred data element to use for the reporting of a baby's congenital anomaly.

Seq No.	Metadata item	Obligation	Max occurs
-	[Person—congenital anomaly, diagnosis code (ICD-10-AM) ANN{.N[N]}](#)	Conditional	1

Conditional obligation:

This data element is collected on a Conditional basis with the data elements [Person—congenital anomaly, diagnosis code (BPA 1979) ANN.N[N]](#) and [Person—congenital anomaly, text X[X(49)]](#). Data must be reported for at least one of these data elements. This data element is the preferred data element to use for the reporting of a baby's congenital anomaly.

DSS specific information:

In the Congenital anomalies cluster the ICD-10-AM edition used for the diagnosis code should be recorded in the data element [Classification system—edition, number code N[N]{.N}.](#)

Seq No.	Metadata item	Obligation	Max occurs
-	[Person—congenital anomaly, text X[X(49)]](#)	Conditional	1

Conditional obligation:

This data element is collected on a Conditional basis with the data elements [Person—congenital anomaly, diagnosis code (ICD-10-AM) ANN{.N[N]}](#) and [Person—congenital anomaly, diagnosis code (BPA 1979) ANN.N[N]](#). Data must be reported for at least one of these data elements. However, [Person—congenital anomaly, diagnosis code (ICD-10-AM) ANN{.N[N]}](#) is the preferred data element to use for the reporting of a baby's congenital anomaly.

Seq No.	Metadata item	Obligation	Max occurs
-	[Person—diagnosis date, DDMMYYYY](#)	Mandatory	1

DSS specific information:

In the Congenital Anomalies cluster this data element is used to report the date a congenital anomaly was diagnosed.

Seq No.	Metadata item	Obligation	Max occurs
-	[Person—person identifier, XXXXXX[X(14)]](#)	Mandatory	1
-	[Record—record source, congenital anomaly code N](#)	Mandatory	1
-	[Record—record source, text X[X(49)]](#)	Conditional	1

Conditional obligation:

In the Congenital Anomalies cluster this data element is reported only when CODE 5 'Other source' has been reported for [Record—record source, congenital anomaly source code N](#).