National Core Maternity Indicators: PI 13—Third and fourth degree tears for vaginal births, 2018
Exported from METEOR (AIHW's Metadata Online Registry)

## © Australian Institute of Health and Welfare 2024

This product, excluding the AlHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AlHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

# National Core Maternity Indicators: PI 13-Third and fourth degree tears for vaginal births, 2018

# Identifying and definitional attributes

Metadata item type: Indicator Indicator type: Indicator

**Common name:** Third and fourth degree tears for vaginal births

**Short name:** PI 13–Third and fourth degree tears for vaginal births, 2018

METEOR identifier: 690172

Registration status: <u>Health</u>, Superseded 19/06/2019

**Description:** The proportion of all females who have a third or fourth degree perineal laceration

after giving birth vaginally for (a) all first births and (b) all births.

Rationale: Third and fourth degree perineal lacerations cause significant ongoing maternal

morbidity. This is an outcome indicator that measures the occurrence of third and

fourth degree perineal lacerations.

Indicator set: National Core Maternity Indicators, 2018

Health, Superseded 19/06/2019

# Collection and usage attributes

Computation description:

(a) The number of females who had a third or fourth degree perineal laceration after giving birth for the first time and birth vaginally, divided by the number of females who gave birth for the first time and birth vaginally, and multiplied by 100.

(b) The number of females who had a third or fourth degree perineal laceration after giving birth vaginally, divided by the number of females who gave birth vaginally, and multiplied by 100.

A birth is defined as an event in which a baby comes out of the uterus after a pregnancy of at least 20 weeks gestation or weighing 400 grams or more.

Births included are vaginal births, including non-instrumental and instrumental births. A non-instrumental vaginal birth is one in which the baby is born through the vagina without the assistance of instruments. An instrumental birth is a procedure that uses instruments (forceps or vacuum extraction) to assist the baby come out through the vagina.

Births excluded are caesarean sections.

Third degree laceration is defined as perineal laceration, rupture or tear as in second degree laceration occurring during delivery, also involving: anal sphincter, rectrovaginal septum, and sphincter not otherwise specified. Excludes laceration involving the anal or rectal mucosa. Fourth degree laceration is defined as perineal laceration, rupture or tear as in third degree laceration occurring during delivery, also involving: anal mucosa and rectal mucosa.

...

**Computation:** 100 × (Numerator ÷ Denominator)

**Numerator:** (a) The number of females who had a third or fourth degree perineal laceration after

giving birth for the first time and birth vaginally.

(b) The number of females who had a third or fourth degree perineal laceration after

giving birth vaginally.

#### Numerator data elements:

#### Data Element / Data Set-

Labour complication: Third/fourth degree tear

**Data Source** 

AlHW National Perinatal Data Collection (NPDC)

Guide for use

This data item for 2013 only analysis.

Data source type: Administrative by-product data

#### Data Element / Data Set-

Birth event—birth method, code N

**Data Source** 

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

#### Data Element / Data Set-

Female (mother)—postpartum perineal status, code N[N]

**Data Source** 

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

This data item from 2014 onwards analysis.

Data source type: Administrative by-product data

#### Data Element / Data Set-

Female—parity, total pregnancies N[N]

Data Source

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

#### **Denominator:**

- (a) The number of females who gave birth for the first time and birth vaginally.
- (b) The number of females who gave birth vaginally.

# Denominator data elements:

#### Data Element / Data Set-

Birth event—birth method, code N

**Data Source** 

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

#### Data Element / Data Set-

Female—parity, total pregnancies N[N]

**Data Source** 

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

# Disaggregation:

- · Year of birth
- · State or territory of birth
- Mother's age at birth
- Hospital annual number of births
- Hospital sector
- Remoteness category (from mother's area of usual residence)
- Indigenous status of mother
- With and without episiotomy
- · Mother's country of birth
- Primary Health Network (from mother's area of usual residence)
- Statistical local area 3 (from mother's area of usual residence)

# Disaggregation data elements:

#### Data Element / Data Set-

Hospital annual number of births

**Data Source** 

AlHW National Perinatal Data Collection (NPDC)

Guide for use

Data source type: Administrative by-product data

#### Data Element / Data Set-

Hospital sector

**Data Source** 

#### AlHW National Perinatal Data Collection (NPDC)

Guide for use

Data source type: Administrative by-product data

#### Data Element / Data Set-

Birth event—state/territory of birth, code N

**Data Source** 

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

#### Data Element / Data Set-

Person—date of birth, DDMMYYYY

**Data Source** 

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

#### Data Element / Data Set-

Female (mother)—postpartum perineal status, code N[N]

**Data Source** 

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

## Data Element / Data Set-

Person-Indigenous status, code N

Data Source

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

#### Data Element / Data Set-

Person—country of birth, code (SACC 2016) NNNN

**Data Source** 

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

#### Data Element / Data Set-

Person—area of usual residence, statistical area level 2 (SA2) code (ASGS 2016) N(9)

**Data Source** 

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

#### Comments:

Data elements are from the Perinatal National Minimum Data Set (NMDS) or have been provided as voluntary non-standardised items by states and territories. Records with data that are missing, not stated or not interpretable have been excluded from the denominator.

For the 2013 analysis, third and fourth degree tears was calculated using *Labour complication: third/fourth degree* data item. A revised collection of perineal status data items in the Perinatal NMDS was introduced in 2014, which meant that the perineal status was split between seven perineal status data items. As a result, for 2014 onwards analysis, third and fourth degree tears was calculated using two data items, *Perineal status: third degree laceration* (code 4) and *Perineal status: fourth degree laceration* (code 7).

Modified from Australian Council on Healthcare Standards (ACHS) Indicator 3.1-3.6: Major perineal tears and surgical repair of the perineum. This ACHS indicator is based on the definition by Women's Healthcare Australasia Core Maternity Indicators Project (WHA 2007).

# Representational attributes

Representation class: Percentage

Data type:RealUnit of measure:PersonFormat:N[NN.N]

#### **Data source attributes**

Data sources: 

Data Source

Perinatal National Minimum Data Set (NMDS)

Frequency

Annual

Data custodian

Australian Institute of Health and Welfare

Data Source

AlHW National Perinatal Data Collection (NPDC)

Frequency

Calendar years ending 31 December each year

Data custodian

Australian Institute of Health and Welfare

### Source and reference attributes

Submitting organisation: Australian Institute of Health and Welfare

Reference documents: ACHS (The Australian Council on Healthcare Standards, Health Services

Research Group, University of Newcastle) 2014. The Australasian Clinical Indicator

Report: 2006-2013. 15th edn. Sydney: ACHS. Viewed 9 April 2018,

https://www.achs.org.au/media/88679/clinical\_indicator\_report\_2006\_2013.pdf,

WHA (Women's Healthcare Australasia) 2007. Supporting excellence in maternity care: the core maternity indicators project: findings from the core maternity

indicators project. Canberra: WHA.

# Relational attributes

Related metadata references:

Supersedes National Core Maternity Indicators: PI 13—Third and fourth degree

tears for (a) all vaginal first births and (b) all vaginal births (2016)

Health, Superseded 06/09/2018

Has been superseded by National Core Maternity Indicators: PI 13-Third and fourth

degree tears for vaginal births, 2019 Health, Superseded 16/09/2020