# Female—estimated blood loss indicating primary postpartum haemorrhage

## Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

# Female—estimated blood loss indicating primary postpartum haemorrhage

## Identifying and definitional attributes

| | |
|---|---|
| **Metadata item type:** | Data Element Concept |
| **METEOR identifier:** | 524213 |
| **Registration status:** | Health, Standard 07/03/2014 |
| **Definition:** | The estimated amount of blood lost by a female postpartum indicating the occurrence of **primary postpartum haemorrhage.** |

# Object Class attributes

## Identifying and definitional attributes

| | |
|---|---|
| **Object class:** | Female |
| **Definition:** | A human being of the sex which conceives and brings forth young. |
| **Specialisation of:** | Person/group of persons |

## Source and reference attributes

| | |
|---|---|
| **Submitting organisation:** | Australia Institute of Health and Welfare |
| **Origin:** | Macquarie University 2003. The Macquarie Dictionary 3rd ed. Sydney: The Macquarie Library Pty Ltd. |

# Property attributes

## Identifying and definitional attributes

| | |
|---|---|
| **Property:** | Estimated blood loss indicating primary postpartum haemorrhage |
| **Definition:** | Estimated volume of abnormal or excessive blood loss from the genital tract within the first 24 hours postpartum.<br><br>A blood loss of 500 mls is the usual minimum amount for identification of postpartum haemorrhage however a woman's haemodynamic instability is also taken into account, meaning that a smaller blood loss may be significant in a severely compromised woman. A loss of 1,000 mls or more is considered major or severe although definitions of severity vary. |
| **Property group:** | Birth event |

## Source and reference attributes

| | |
|---|---|
| **Submitting organisation:** | National Perinatal Data Development Committee |

# Data element concept attributes

## Source and reference attributes

| | |
|---|---|
| **Submitting organisation:** | National Perinatal Data Development Committee |

## Relational attributes

**Data Elements implementing this Data Element Concept:**

Female—estimated blood loss indicating primary postpartum haemorrhage, estimated blood loss volume category code N
Health, Superseded 03/12/2020

Female—estimated blood loss indicating primary postpartum haemorrhage, estimated blood loss volume category code N
Health, Standard 03/12/2020

Female—estimated blood loss indicating primary postpartum haemorrhage, estimated blood loss volume category, code N
Health, Superseded 05/10/2016