
# National Healthcare Agreement: Pl 02-Incidence of selected cancers, 2017 QS



parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

# National Healthcare Agreement: PI 02-Incidence of selected cancers, 2017 QS

## Identifying and definitional attributes

Metadata item type: Data Quality Statement

METEOR identifier: 630377

**Registration status:** <u>Health</u>, Standard 31/01/2017

### **Data quality**

Data quality statement summary:

- The most recent data available for inclusion in this indicator are 2012 for New South Wales and 2013 for the other jurisdictions.
- This indicator only counts one year of incidence data. For jurisdictions that
  record relatively small numbers of cancers, rates may fluctuate widely from
  year to year; these changes should be interpreted with caution.
- The completeness of Indigenous identification in cancer registry data varies between jurisdictions. Those with sufficiently complete identification to enable reliable reporting of cancer incidence rates are New South Wales, Victoria, Queensland, Western Australia and the Northern Territory. Indigenous data for the other jurisdictions are not published.
- The Cancer Institute NSW (CINSW) uses an imputation method to impute missing Indigenous status for reporting purposes. This may lead to differences between the Indigenous rates presented for New South Wales in this indicator and the Indigenous rates presented in CINSW incidence reports.
- The incidence rate in Indigenous Australians may fluctuate considerably from year to year due to the behaviour of rare events in small populations.
- Remoteness area and socioeconomic group are based on Statistical Area Level 2 (SA2) of residential address at the time of diagnosis.

#### Institutional environment:

The Australian Institute of Health and Welfare (AlHW) is Australia's national agency for health and welfare statistics and information. The role of the AlHW is to provide information on Australia's health and welfare, through statistics and data development that inform discussion and decisions on policy and services.

The AIHW works closely with all state, territory and Australian Government health authorities in collecting, analysing and disseminating data. However, the AIHW is an independent statutory authority within the Health portfolio, and is responsible to the Minister for Health. The AIHW is governed by a Board, which is accountable to the Parliament of Australia through the Minister.

The National Cancer Statistics Clearing House, housed at the AlHW, is a collaborative partnership between the AlHW and the Australasian Association of Cancer Registries. Cancer incidence data are supplied to the AlHW by state and territory cancer registries. These data are compiled by AlHW to form the Australian Cancer Database. All jurisdictions have legislation requiring mandatory reporting of all cancer cases with the exception of basal cell carcinoma of the skin and squamous cell carcinoma of the skin.

The most recent data available for inclusion in this indicator are 2012 for New

South Wales and 2013 for the other jurisdictions.

Cancer publications and annually updated data are freely available on the AIHW

<u>website</u>. More specialised data can be requested via the website by lodging a customised data request. These are charged for on a cost-recovery basis.

**Interpretability:** While numbers of new cancers are easy to interpret, calculation of age-

standardised rates is more complex and the concept may be confusing to some readers. Information on how and why age-standardised rates have been calculated and how to interpret them is available in all AIHW cancer publications presenting data in this format, for example, *Cancer in Australia: an overview, 2014*(AIHW 2014). Information about the Australian Cancer Database is available on the AIHW

website.

Timeliness:

Accessibility:

Relevance:

Accuracy:

The data used to calculate this indicator are accurate and of high quality. The mandatory reporting of cancers and the use of estimated resident populations (ERPs) based on Census data for denominators provides the most comprehensive data coverage possible. The data are appropriate for this indicator.

The 2013 data for the Australian Capital Territory provided to the AlHW excluded provisional death-certificate-only (DCO) cases because these were not available. Based on Australian Capital Territory data for the years 2008–2012, the AlHW estimates that there were about 30 DCO cases in the Australian Capital Territory for 2013 across all cancer types (1.9% of all cancers).

For Indigenous status, the numerator for 'Indigenous' is the number of people who self-reported that they were Indigenous at the time of diagnosis. 'Other' includes those who self-reported that they were not Indigenous at the time of diagnosis and those who chose not to identify as either Indigenous or non-Indigenous.

The completeness of Indigenous identification in cancer registry data varies between jurisdictions. Those with sufficiently complete identification to enable reliable reporting of cancer incidence rates are New South Wales, Victoria, Queensland, Western Australia and the Northern Territory. Indigenous data for the other jurisdictions are not published.

Socioeconomic group rankings (by Index of Relative Socio-Economic Disadvantage score) are calculated by SA2 using a population-based method at the Australia-wide level. That is, the quintiles are national quintiles, not state and territory quintiles.

An SA2-to-remoteness-area concordance and SA2-to-socioeconomic-group concordance were used to allocate remoteness area and socioeconomic group to each record on the Australian Cancer Database based on the person's SA2 of residence at time of diagnosis.

Caution is required when examining differences across remoteness area and socioeconomic group categories. The SA2 of a person is determined by the cancer registry based on the address provided by the person. Some people may supply an address other than that where they normally reside or the details the person provides may not correspond to a valid address, meaning that their cancer record cannot be allocated to a remoteness area or socioeconomic group category at all. Such records are excluded from the tables and this may affect some remoteness area and socioeconomic categories more than others. Also, remoteness areas are based on 2011 classifications. The accuracy of these classifications may decrease over time due to changes in infrastructure within SA2 boundaries since 2011.

Due to the very small number of diagnoses involved, disaggregation by Indigenous status, or remoteness area, or socioeconomic group, by state and territory is not necessarily robust.

This indicator only counts one year of incidence data. For jurisdictions that record relatively small numbers of cancers, rates may fluctuate widely from year to year; these changes should be interpreted with caution.

This indicator is calculated based on data that have been supplied to the AlHW and undergone extensive checks at both the source cancer registry and the AlHW. The state and territory cancer registries have checked the tables and given their approval for the AlHW to supply them to the Productivity Commission.

#### Coherence:

These data are published annually by the AlHW. While there are sometimes changes to coding for particular cancers, it is possible to map coding changes to make meaningful comparisons over time.

Not all state and territory cancer registries use the same ICD-10 code groupings to classify certain cancers, e.g. the AIHW defines bowel cancer as ICD-10 codes C18–C20, whereas some cancer registries also include C21. This may mean that data presented here are different to those reported by jurisdictional cancer registries, for certain cancers. The definitions used in this indicator are as follows:

Bowel cancer: ICD-10 codes C18–C20

• Lung cancer: ICD-10 codes C33-C34

• Melanoma of the skin: ICD-10 code C43

• Breast cancer in females: ICD-10 code C50 and sex female

• Cervical cancer: ICD-10 code C53.

The CINSW uses an imputation method to impute missing Indigenous status for reporting purposes. This may lead to differences between the Indigenous rates presented for New South Wales in this indicator and the Indigenous rates presented in CINSW incidence reports.

The incidence rate in Indigenous Australians may fluctuate considerably from year to year due to the behaviour of rare events in small populations.

#### Source and reference attributes

**Submitting organisation:** Australian Institute of Health and Welfare

Reference documents: AlHW (Australian Institute of Health and Welfare) 2014. Cancer in Australia: an

overview 2014. Cat. no. CAN 88. Canberra: AlHW. Viewed 22 June 2017,

http://www.aihw.gov.au/publication-detail/?id=60129550047.

#### **Relational attributes**

Related metadata references:

Supersedes National Healthcare Agreement: PI 02-Incidence of selected cancers, 2016 QS

Health, Superseded 31/01/2017

Has been superseded by National Healthcare Agreement: PI 02-Incidence of

selected cancers, 2018 QS Health, Standard 30/01/2018

Indicators linked to this Data Quality statement:

National Healthcare Agreement: PI 02-Incidence of selected cancers, 2017

Health, Superseded 30/01/2018